Train the Trainer Post-Questionnaire



Date: Location:

diani nanunny saisty buantuu										
	Overview Presenter:	Overview Presenter:					Stror Agre			
1.	The presenter was knowledgea	able about	the subject.		1	2	3	4		
2.	The presenter was clear and er	ngaging.			1	2	3	4		
3.	What are the 6 main dangers working with grain?									
	A. Dust Explosions	B. Toxic Gas		C. Hearing Lo	ISS					
	D. Engulfment	E. Entanglement		F. Chemicals	& Fumigation					
	G. Lung Problems	H. Falls		I. Struck by	k by					
	J. Electrical									
4.	What is the ONE "Best Practice" for Grain Dust dangers concerning explosions?									
	A. Wear a Respirator Mask		B. Good Houseke	eping						
	C. Insulating Tools	D. Remove Cord f	rom Service ar	nd De	stroy	,				

Comments about the Overview module:

	Lock out/Tag Out Presenter:					Strong Agree	ly
1.	The presenter was knowledgeable about the subject.			1	2	3	4
2.	The presenter was clear and engaging.			1	2	3	4
3.	Lock Out/Tag Out is the BEST PRACTICE for what 3 dangers?						
	A. Flowing grain	B. Electrical	C. Falls				
	D. Struck by	E. Entanglement					

Comments about the LOTO module:

Revised 8/2015

Comments about the Entanglement module:

	Entanglement & Guarding Presenter:						Strong Agree	
1.	. The presenter was knowledgeable about the subject.						3	4
2.	The presenter was clear and engagir	ng.			1	2	3	4
	Does the picture below represent an	entangle	eme	nt hazard?				
3.		YES	4.					ES NO
	Portable Auger			Catwalk				
5.		YES	6.					'ES
	PTO shaft			Electrical Panel				


Other comments about Entanglement & Guarding?

						Stron		Stron Agree	• •
1.	The presenter was knowledgeable about the subject.						2	3	4
2.	The presenter was clear and engaging.				1	2	3	4	
3.	Fall protection is required at:								
	A. 20 feet	B. 15 feet	C.8 feet		D. 4 feet				
4.	Ladder cages should be used with fixed ladders at:								
	A. 8 feet and more of continuous length B. 15 feet and more of continuous length								
	C. 20 feet and more of continuous length D. 30 feet and more of continuous length								

Comments about the Fall Hazards and Protection module:

	Grain Bin Entry Presenter:	Stror Disaç	0,	Stron Agre	0,
1.	The presenter was knowledgeable about the subject.	1	2	3	4
2.	The presenter was clear and engaging.	1	2	3	4

3. A grain pile should have an angle somewhere around:



- 4. Circle 2 ways to tell if grain is out of condition:
 - **a.** Can use their senses sight, smell, touch or feel of the grain.
 - **b.** A person will sink about ankle deep (or 12") if walking on it.
 - **c.** It will clump together and be warm to the touch.
 - d. It will smell bad and be cool to the touch.

Comments about the Grain Bin Entry module:

	l ifalina					ļ	
	Lifeline Presenter:			Stror Disag		Strong Agree	
1.	The presenter was knowledgeable about the subject.			1	2	3	4
2.	The presenter was clear and engaging.			1	2	3	4
3.	A secured lifeline system protects against:						
	a. Electrocution	c.	Grain avalanches				
	b. Falls from height	d.	Entrapment or engulfment				
4.	What type of knot should be used on the end	of a	lifeline?				
	a. Square knot	C.	Clove hitch knot				
	b. Figure 8 knot	d.	Overhand knot				
5.	Slack in a lifeline rope is controlled by:						
	a. Length of rope	c.	Entrant				
	b. Observer and belay device	d.	Anchor points				

Comments about the Lifeline Module:

	Ag Confined Spaces Presenter:		Strongly Disagree		Stron Agree		
1.	The presenter was knowledgeable about the subject.		1	2	3	4	
2.	The presenter was clear and engaging.		1	2	3	4	
3.	What is NOT a criteria to be a confined sp	pace?					
	A. Limited or restricted entry and exit	B. Can fit part of the body in and perform work				k	
	C. Not designed for continuous occupation	D. None of the above					
4.	What order should an atmosphere test be	done?					
	A. Lower flammable/explosion limit, permissible exposure limit, oxygen						
	B. Permissible exposure limit, oxygen, lower flammable/explosion limit						
	C. Permissible exposure limit, lower flammable/explosion limit, oxygen						
	D. Oxygen, permissible exposure limit, lower flammable/explosion limit						
	E. Oxygen, lower flammable/explosion limit, permissible exposure limit						
Car	mmonts about the Ag Confined Spaces module:						

Comments about the Ag Confined Spaces module:

Revised 8/2015