

## Fall Protection – Taking it to a Whole New Level – Test Review

NAME: \_\_\_\_\_ DATE: \_\_\_\_\_ COMPANY: \_\_\_\_\_

1. Falls most often occur during roofing, scaffold and \_\_\_\_\_ operations.
  - a. Balancing
  - b. Digging
  - c. **Ladder**
  - d. Crane
2. Falls most often happen to all of the following trades except which one?
  - a. Roofers
  - b. **Forklift Operators**
  - c. Painters
  - d. Electricians
3. The head and the \_\_\_\_\_ are the areas most often injured during a fall.
  - a. **Back**
  - b. Toe
  - c. Wrist
  - d. Knee
4. There is a right way to fall.
  - a. True
  - b. **False**
5. Which statement is true?
  - a. A fall harness is the best form of fall protection because it limits how far you fall.
  - b. **Doing work on the ground is the safest form of fall protection.**
6. The cost of a fall includes which of the following?
  - a. Workers comp costs
  - b. Lawsuits
  - c. Damage to company's image
  - d. **All of the above**
7. The three components of a safety system are:
  - a. Recognition, Refinement and Improvement
  - b. Truth, Humility and Teamwork
  - c. Employers, Employees and Civilians
  - d. **Cultural, Operational and Managerial**
8. The top down approach is run by management with employee involvement.
  - a. **True**
  - b. False
9. Is the bottom up approach
  - a. Proactive
  - b. **Reactive**

## Fall Protection – Taking it to a Whole New Level – Test Review

The following questions ask about each of the 6 parts of a system match each part with its definition.

- a. Input
  - b. Output
  - c. Outcome
  - d. Boundary
  - e. Feedback Loop
  - f. Processing
10. This part of the system explains what the system will cover. A – B – C – **D** – E – F
  11. This is the part of a system where the safety decisions are made. A – **B** – C – D – E – F
  12. This is the part of the system where we look for the desired conditions and activities. A – B – **C** – D – E – F
  - 13.** This is the part of the system where the work occurs. A – B – C – D – E – **F**
  14. This is the first phase where hazards are recognized. **A** – B – C – D – E – F
  15. This part of the system is where results are reviewed to see if the system is working. A – B – C – D – **E** – F
  16. The Managerial component is the working component in the safety system.
    - a. True **b. False**
  17. The Operational component is the component that plans each part of the safety system.
    - a. True **b. False**
  18. The three values of a safety system are: I have a right to safety. I am responsible for my own safety and \_\_\_\_\_.
    - a. I duty to the safety manager for safety
    - b. I can do all things safely
    - c. I duty to more supervisor for safety
    - d. I have a duty for the safety of my co-workers**
  19. Which of the following hazards would you fix first
    - a. One that could cause a fatality to many people on a daily basis**
    - b. One that could cause a fatality once or twice a year to a couple people
    - c. One that could cause someone to cut their finger on a daily basis
    - d. One that would cause a bruise once or twice a year to one person
  20. What is the correct order of effectiveness for fall protection?
    - a. Warning Lines, Fall Arrest, Engineering, Elimination, Safety Monitoring
    - b. Fall Arrest, Warning, Lines Engineering, Safety Monitoring, Elimination
    - c. Safety Monitoring, Elimination, Fall Arrest, Warning Lines, Engineering
    - d. Elimination, Engineering, Fall Arrest, Warning Lines, Safety Monitoring**
  21. Fall protection is required in construction at \_\_\_ feet and on scaffolds at \_\_\_ feet
    - a. 6 and 10 feet**
    - b. 1 and 2 feet
    - c. Not required
    - d. 4 feet for both

## Fall Protection – Taking it to a Whole New Level – Test Review

22. The following are hazards when working on a ladder except which one:
- Using wrong type of ladder
  - Losing balance by reaching out to far
  - Slipping on a dirty rung or step
  - All are hazards**
23. A step ladder must extend at least three feet above the roof.
- True
  - False
  - You are talking about a straight or extension ladder not a step ladder**
24. When inspecting a ladder if you notice a hazard it is ok to use it just this one time.
- True
  - False**
25. When working on a ladder you want to make sure that you walk up and down the ladder with your back to the ladder.
- True
  - False**
26. When working on scaffolds the hazards includes all of the following except?
- Scaffold collapsing
  - Scaffold fully decked**
  - Scaffold damaged by a forklift
  - Scaffold missing top or mid rail
27. All of the following are types of scaffolds except:
- Supported
  - Mobile
  - Suspended
  - Disposable**
28. A scaffold must be inspected by:
- A Scaffold Competent Person**
  - Someone that knows that all wheels must be locked on mobile scaffolds
  - Someone
  - Supervisor
29. When working on scaffolding it is ok to use a bucket or a board to reach a higher level.
- True
  - False**
30. Roofing, precast concrete erection, wall openings, leading edge work, holes, residential framing/roofing and steel erection are all what type of work
- Carpenter
  - Elevated**
  - Confined
  - Hot
31. It is ok for unauthorized people to be on a roof as long as they are careful
- True
  - False**

## Fall Protection – Taking it to a Whole New Level – Test Review

32. Which of the following is correct
- Build guardrails around three out of four sides when working on a roof
  - Putting up a piece of string with one or two flags on all four sides of the roof
  - Attach anchorages for each person working on the roof and equipping each of person with a fall harness and lanyard**
  - Have a person in a trailer watch the workers on the roof and warn them if they get to close
33. When constructing a controlled decking zone it is ok to deck a 200 x 200 area without any conventional fall protection.
- True
  - False**
34. Companies that value the safety of their employees have a \_\_\_\_\_ morale than companies that do not value safety.
- Lower
  - Average
  - Higher**
35. Companies that have safety systems have higher workers comp costs.
- True
  - False**
36. Large Contractors like companies
- Without safety programs and high accident rates
  - With safety systems and low accident rates**
37. Why should we have a safety system?

### Answers from any of slides 232 -239

---

38. When creating a safety system you must have visible commitment from
- Top Management
  - Middle Management
  - Employees
  - All of the above**
39. An organizational structure must have parts/players identified, assembled and connected. What else must we have,
- Money
  - Goals**
  - Equipment
  - Computers
40. Once you develop a system there is no need to worry about improving it.
- True
  - False**