

U.S. Department of Labor Occupational Safety and Health Administration
299 Cherry Hill Road,
Suite 103
Parsippany, NJ 07054
Phone: 973-263-1003 Fax: 973-299-7161



09/30/2013

County Concrete Corp.
50 Railroad Ave
Kenvil, NJ 07847

Dear Employer,

Enclosed you will find citations for violations of the Occupational Safety and Health Act of 1970 (the Act) which may have accompanying proposed penalties. Also enclosed is a booklet entitled, "Employer Rights and Responsibilities Following an OSHA Inspection", (OSHA 3000) revised 1990, which explains your rights and responsibilities under the Act. If you have any questions about the enclosed citations and penalties, I would welcome further discussions in person or by telephone.

You will note on page 6 of the booklet that, for violations which you do not contest, you must (1) notify this office promptly by letter that you have taken appropriate corrective action within the time set forth on the citation; and (2) pay any penalties assessed. Please inform me of the abatement steps you have taken and of their dated together with adequate supporting documentation; e.g., drawings or photographs of corrected conditions, purchase/work orders related to abatement actions, air sampling results. This information will allow us to close the case.

As indicated on page 8 of the booklet, you may request an informal conference with me during the 15-working-day notice of contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation or the penalty.

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of the citation. The running of this contest period is not interrupted by an informal conference. You must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so.

If you decide to request an informal conference, please complete the attached notice at the bottom of this letter and post it next to the Citations as soon as the time, date and the place of the informal conference have been determined. Be sure to bring to the conference with you any and all supporting documentation of existing conditions as well as of any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.

Sincerely,

A handwritten signature in black ink, appearing to read "Kris Hoffman", written over the word "Sincerely,".

Kris Hoffman
Area Director

Enclosures

U.S. Department of Labor
Occupational Safety and Health Administration
299 Cherry Hill Road
Suite 103
Parsippany, NJ 07054
Phone: 973-263-1003 Fax: 973-299-7161



Citation and Notification of Penalty

To:
County Concrete Corp.
50 Railroad Ave
Kenil, NJ 07847

Inspection Number: 899238
Inspection Date(s): 04/02/2013 - 09/30/2013
Issuance Date: 09/30/2013

Inspection Site:
64 Glenwood Place
East Orange, NJ 07017

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty **you either call to schedule an informal conference (see paragraph below) or you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above.** Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Right to Contest – You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.

Penalty Payment – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to “DOL-OSHA”. Please indicate the Inspection Number on the remittance.

OSHA does not agree to any restrictions or conditions or endorsements put on any check or money order for less than the full amount due, and will cash the check or money order as if these restrictions, conditions, or endorsements do not exist.

Notification of Corrective Action – For each violation which you do not contest, you must provide *abatement certification* to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that *abatement documentation* is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

Employer Discrimination Unlawful – The law prohibits discrimination by an employer against an employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

Employer Rights and Responsibilities – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

Notice to Employees – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Inspection Activity Data – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 09/30/2013. The conference will be held by telephone or at the OSHA office located at 299

Cherry Hill Road, Suite 103, Parsippany, NJ 07054 on _____ at

_____. Employees and/or representatives of employees have a right to attend an informal conference.

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Inspection Number: 899238

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017
Issuance Date: 09/30/2013

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, 299 Cherry Hill Road, Suite 103, Parsippany, NJ 07054**

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

Signature

Date

Typed or Printed Name

Title

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

Citation 1 Item 1 Type of Violation: **Serious**

29 CFR 1910.95(d)(1): When information indicated that any employee's exposure equaled or exceed the 8-hour time-weighted average of 85 decibels, the employer did not develop and implement a monitoring program:

a) County Concrete, 64 Glenwood Place, East Orange, NJ 07017

A noise monitoring program was not developed for employees cleaning the inside of the concrete mixing apparatus with mini-jackhammers were exposed to continuous noise at 582.2%, 488.2%, and 302.8% of the permissible exposure limit (PEL) eight hour time-weighted average sound level of 90 dBA which are 5.8, 4.9, and 3.0 times the allowable exposure limit respectively. The action level is 85 dBA. The equivalent sound levels of the measured doses are 102.7 dBA, 101.4 dBA, and 98.0, dBA respectively. Sampling was performed for 299, 297, and 282 minutes on 6/8/2013, with the unsampled portion of time considered to represent zero for the exposure calculation.

Violation occurred on or about 6/8/2013.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	11/14/2013
Proposed Penalty:	\$4500.00



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

Citation 1 Item 2 Type of Violation: **Serious**

29 CFR 1910.95(g)(1): The employer did not establish and maintain an audiometric testing program as provided in this paragraph by making audiometric testing available to all employees whose exposures equal or exceed an 8-hour time-weighted average of 85 dBA:

a) County Concrete, 64 Glenwood Place, East Orange, NJ 07017

The employer did not establish an audiometric testing program for employees cleaning the inside of the concrete mixing apparatus with mini-jackhammers were exposed to continuous noise at 582.2%, 488.2%, and 302.8% of the permissible exposure limit (PEL) eight hour time-weighted average sound level of 90 dBA which are 5.8, 4.9, and 3.0 times the allowable exposure limit respectively. The action level is 85 dBA. The equivalent sound levels of the measured doses are 102.7 dBA, 101.4 dBA, and 98.0, dBA respectively. Sampling was performed for 299, 297, and 282 minutes on 6/8/2013, with the unsampled portion of time considered to represent zero for the exposure calculation.

Violation occurred on or about 6/8/2013.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	11/14/2013
Proposed Penalty:	\$4500.00



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

Citation 1 Item 3 Type of Violation: **Serious**

29 CFR 1910.95(k)(1): The employer did not train each employee who is exposed to noise at or above an 8-hour time-weighted average of 85 decibels in accordance with the requirements of 29 CFR 1910.95(k). The employer did not institute a training program and ensure employee participation in the program:

a) County Concrete, 64 Glenwood Place, East Orange, NJ 07017

The employer failed to institute a noise training program for employees cleaning the inside of the concrete mixing apparatus with mini-jackhammers were exposed to continuous noise at 582.2%, 488.2%, and 302.8% of the permissible exposure limit (PEL) eight hour time-weighted average sound level of 90 dBA which are 5.8, 4.9, and 3.0 times the allowable exposure limit respectively. The action level is 85 dBA. The equivalent sound levels of the measured doses are 102.7 dBA, 101.4 dBA, and 98.0, dBA respectively. Sampling was performed for 299, 297, and 282 minutes on 6/8/2013, with the unsampled portion of time considered to represent zero for the exposure calculation.

Violation occurred on or about 6/8/2013.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated: 11/14/2013
Proposed Penalty: \$4500.00



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

Citation 1 Item 4 Type of Violation: **Serious**

29 CFR 1910.134(c)(1): A written respiratory protection program that included the provisions in 29 CFR 1910.134(c)(1)(i) - (ix) with worksite specific procedures was not established and implemented for required respirator use:

a) Inside cement mixer, County Concrete, 64 Glenwood Place, East Orange, NJ 07017

The employer failed to develop and implement a written respiratory protection program for employees exposed to silica who are required to use North full-face respirators equipped with P-100 filters during concrete mixer cleaning operations using mini-jackhammers.

Two employees cleaning the inside of the concrete mixing apparatus with mini-jackhammers were exposed to 12% and 13% crystalline quartz silica for eight hour time-weighted average respirable dust exposures of 3.6 mg/m³ and 1.8 mg/m³, which are 5.1 and 2.6 times the allowable exposure limit, the permissible exposure limits (PEL) 0.714 mg/m³ and 0.667 mg/m³, respectively. Sampling was performed for 297 minutes on 6/8/2013, with the unsampled portion of time considered to represent zero for the exposure calculation.

Violation occurred on or about 6/8/2013.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	11/14/2013
Proposed Penalty:	\$6300.00



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

Citation 1 Item 5 Type of Violation: **Serious**

29 CFR 1910.134(d)(1)(iii): The employer did not identify and evaluate the respiratory hazard(s) in the workplace; including a reasonable estimate of employee exposures to respiratory hazards and identification of the contaminants chemical state and physical form:

a) Inside of cement mixer, County Concrete, 64 Glenwood Place, East Orange, NJ 07017

The employer failed to identify and evaluate the respiratory hazards for employees exposed to silica when required to use North full-face respirators equipped with P-100 filters during concrete mixer cleaning operations using mini-jackhammers.

Two employees cleaning the inside of the concrete mixing apparatus with mini-jackhammers were exposed to 12% and 13% crystalline quartz silica for eight hour time-weighted average respirable dust exposures of 3.6 mg/m³ and 1.8 mg/m³, which are 5.1 and 2.6 times the allowable exposure limit, the permissible exposure limits (PEL) 0.714 mg/m³ and 0.667 mg/m³, respectively. Sampling was performed for 297 minutes on 6/8/2013, with the unsampled portion of time considered to represent zero for the exposure calculation.

Violation occurred on or about 6/8/2013.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	11/14/2013
Proposed Penalty:	\$6300.00



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

Citation 1 Item 6 Type of Violation: **Serious**

29 CFR 1910.134(e)(1): The employer did not provide a medical evaluation to determine the employees ability to use a respirator, before the employee was fit tested or required to use the respirator in the workplace:

a) Inside of cement mixer, County Concrete, 64 Glenwood Place, East Orange, NJ 07017

The employer did not provide medical evaluations for employees required to use North full-face respirators with P-100 cartridges to protect them from airborne exposure to silica.

Two employees cleaning the inside of the concrete mixing apparatus with mini-jackhammers were exposed to 12% and 13% crystalline quartz silica for eight hour time-weighted average respirable dust exposures of 3.6 mg/m³ and 1.8 mg/m³, which are 5.1 and 2.6 times the allowable exposure limit, the permissible exposure limits (PEL) 0.714 mg/m³ and 0.667 mg/m³, respectively. Sampling was performed for 297 minutes on 6/8/2013, with the unsampled portion of time considered to represent zero for the exposure calculation.

Violation occurred on or about 6/8/2013.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	11/14/2013
Proposed Penalty:	\$6300.00



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

Citation 1 Item 7 Type of Violation: **Serious**

29 CFR 1910.134(f)(2): The employer did not ensure that an employee using a tight-fitting facepiece respirator is fit tested prior to initial use of the respirator, whenever a different respirator facepiece (size, style, model or make) is used, and at least annually thereafter.

a) Inside of cement mixer, County Concrete, 64 Glenwood Place, East Orange, NJ 07017

The employer failed to ensure that the employees were fit-tested prior to required use of North full-face respirators with P-100 cartridges in the concrete mixer cleaning operation.

Two employees cleaning the inside of the concrete mixing apparatus with mini-jackhammers were exposed to 12% and 13% crystalline quartz silica for eight hour time-weighted average respirable dust exposures of 3.6 mg/m³ and 1.8 mg/m³, which are 5.1 and 2.6 times the allowable exposure limit, the permissible exposure limits (PEL) 0.714 mg/m³ and 0.667 mg/m³, respectively. Sampling was performed for 297 minutes on 6/8/2013, with the unsampled portion of time considered to represent zero for the exposure calculation.

Violation observed on or about 6/8/2013.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	11/14/2013
Proposed Penalty:	\$6300.00

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 899238
Inspection Date(s): 04/02/2013 - 09/30/2013
Issuance Date: 09/30/2013



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

Citation 1 Item 8 Type of Violation: **Serious**

29 CFR 1910.134(h)(2)(i): All respirators were not stored to protect them from damage, contamination, dust, sunlight, extreme temperatures, excessive moisture, and damaging chemicals, and were not packed or stored to prevent deformation of the facepiece and exhalation valve:

a) County Concrete, 64 Glenwood Place, East Orange, NJ 07017

The North full-face respirator with P-100 cartridges used by workers when cleaning the mixer with mini-jackhammers was stored hanging unprotected from a thumbtack in the mixer control room.

Violation observed on or about 4/11/2013.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	11/14/2013
Proposed Penalty:	\$3600.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

Citation 1 Item 9 Type of Violation: **Serious**

29 CFR 1910.134(k): The employer did not provide comprehensive, understandable training which did not occur annually and/or more often if necessary:

a) Inside of cement mixer, County Concrete, 64 Glenwood Place, East Orange, NJ 07017

The employer failed to ensure that the employees were trained prior to required use of North full-face respirators with P-100 cartridges in the concrete mixer cleaning operation.

Two employees cleaning the inside of the concrete mixing apparatus with mini-jackhammers were exposed to 12% and 13% crystalline quartz silica for eight hour time-weighted average respirable dust exposures of 3.6 mg/m³ and 1.8 mg/m³, which are 5.1 and 2.6 times the allowable exposure limit, the permissible exposure limits (PEL) 0.714 mg/m³ and 0.667 mg/m³, respectively. Sampling was performed for 297 minutes on 6/8/2013, with the unsampled portion of time considered to represent zero for the exposure calculation.

Violation observed on or about 6/8/2013.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	11/14/2013
Proposed Penalty:	\$6300.00



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 10 a Type of Violation: **Serious**

29 CFR 1910.1000(c): Table Z-3. Employee's exposure to any substance listed in Table Z-3, in any 8-hour work shift of a 40-hour work week, exceeded the 8-hour time weighted average limit given for that substance in the table.

a) Inside of cement mixer, County Concrete, 64 Glenwood Place, East Orange, NJ 07017

Two employees cleaning the inside of the concrete mixing apparatus with mini-jackhammers were exposed to 12% and 13% crystalline quartz silica for eight hour time-weighted average respirable dust exposures of 3.6 mg/m³ and 1.8 mg/m³, which are 5.1 and 2.6 times the allowable exposure limit, the permissible exposure limits (PEL) 0.714 mg/m³ and 0.667 mg/m³, respectively. Sampling was performed for 297 minutes on 6/8/2013, with the unsampled portion of time considered to represent zero for the exposure calculation.

Violation observed on or about 6/8/2013.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	11/14/2013
Proposed Penalty:	\$6300.00



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

Citation 1 Item 10 b Type of Violation: **Serious**

29 CFR 1910.1000(e): Administrative or engineering controls were not determined and implemented whenever feasible to achieve full compliance with paragraphs (a) through (d) of this section:

a) Inside of cement mixer, County Concrete, 64 Glenwood Place, East Orange, NJ 07017

Two employees cleaning the inside of the concrete mixing apparatus with mini-jackhammers were exposed to 12% and 13% crystalline quartz silica for eight hour time-weighted average respirable dust exposures of 3.6 mg/m³ and 1.8 mg/m³, which are 5.1 and 2.6 times the allowable exposure limit, the permissible exposure limits (PEL) 0.714 mg/m³ and 0.667 mg/m³, respectively. Sampling was performed for 297 minutes on 6/8/2013, with the unsampled portion of time considered to represent zero for the exposure calculation.

Violation occurred on or about 6/8/2013.

Abatement Note: Effective engineering controls can include, but are not limited to, the use of a portable local exhaust system in addition to ventilation provided by the baghouse, and/or the use of wet methods during chipping operations.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

11/14/2013



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 11 a Type of Violation: **Serious**

29 CFR 1910.1200(e)(1): The employer did not develop, implement, and/or maintain at the workplace a written hazard communication program which describes how the criteria specified in 29 CFR 1910.1200(f), (g), and (h) will be met:

a) County Concrete, 64 Glenwood Place, East Orange, NJ 07017

The employer did not develop, implement, and/or maintain at the workplace a written hazard communication program for employees using chemicals including, but not limited to, Portland Cement Type I containing crystalline silica.

Violation occurred on or about 4/11/2013

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	11/14/2013
Proposed Penalty:	\$4500.00



Citation and Notification of Penalty

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017

Citation 2 Item 1 Type of Violation: **Other-than-Serious**

29 CFR 1910.134(k)(6): The employer did not provide the basic advisory information on respirators, as presented in Appendix D of 29 CFR 1910.134, in written or oral format to employees who wear respirators when such use was not required by the employer:

a) County Concrete, 64 Glenwood Place, East Orange, NJ 07017

The employer failed to ensure that employees such as truck drivers and yardmen who voluntarily choose to wear 3M P-95 filtering face-pieces for protection against nuisance dust from the cement yard were provided with Appendix D of the standard.

Violation observed on or about 4/11/2013.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated: 11/14/2013
Proposed Penalty: \$0.00

A handwritten signature in black ink, appearing to read "Kris Hoffman", written over a horizontal line.

Kris Hoffman
Area Director

U.S. Department of Labor
Occupational Safety and Health Administration
299 Cherry Hill Road
Suite 103
Parsippany, NJ 07054
Phone: 973-263-1003 Fax: 973-299-7161



INVOICE / DEBT COLLECTION NOTICE

Company Name: County Concrete Corp.
Inspection Site: 64 Glenwood Place, East Orange, NJ 07017
Issuance Date: 09/30/2013

Summary of Penalties for Inspection Number	899238
Citation 1, Serious	\$59400.00
Citation 2, Other-than-Serious	\$0.00
TOTAL PROPOSED PENALTIES	\$59400.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance.

OSHA does not agree to any restrictions or conditions or endorsements put on any check or money order for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.


If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to 2 times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

Interest: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.


Delinquent Charges: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

Administrative Costs: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.



Kris Hoffman

Area Director



Date