

U.S. Department of Labor
Occupational Safety and Health Administration
43 Kline Village
Harrisburg, PA 17104
Phone: 717-782-3902 Fax: 717-782-3746



Citation and Notification of Penalty

To:
Domestic Casting Company, LLC
P.O. Box 220
Shippensburg, PA 17257

Inspection Number: 982283
Inspection Date(s): 06/24/2014 - 12/11/2014
Issuance Date: 12/18/2014

Inspection Site:
275 North Queen Street
Shippensburg, PA 17257

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty you either call to schedule an informal conference (see paragraph below) or you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above. Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Right to Contest – You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.

Penalty Payment – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to “DOL-OSHA”. Please indicate the Inspection Number on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type “OSHA” and click Go. From the results, click on OSHA Penalty Payment Form. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>.

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$50,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

Notification of Corrective Action – For each violation which you do not contest, you must provide *abatement certification* to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that *abatement documentation* is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

Employer Discrimination Unlawful – The law prohibits discrimination by an employer against an

employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

Employer Rights and Responsibilities – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

Notice to Employees – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Inspection Activity Data – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 12/18/2014. The conference will be held by telephone or at the OSHA office located at 43 Kline Village, Harrisburg, PA 17104 on _____ at _____.

Employees and/or representatives of employees have a right to attend an informal conference.

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Inspection Number: 982283

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257
Issuance Date: 12/18/2014

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, 43 Kline Village, Harrisburg, PA 17104**

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

Signature

Date

Typed or Printed Name

Title

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 1 Item 1 Type of Violation: **Serious**

29 CFR 1910.22(a)(1): All places of employment, passageways, storerooms or service rooms were not kept clean and orderly or in a sanitary condition:

- a) Shot Blast Area - Employees working in the shot blast area were exposed to slip, trip, and fall hazards from metal shot blast coming out of the "Pangborn" small shot blaster, on or about June 24th, 2014.
- b) End of Breezeway - Employees walking through the breezeway were exposed to pigeon feces from pigeons nesting by the outside door of the breezeway, on or about July 31st, 2014.

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	01/15/2015
Proposed Penalty:	\$4620.00



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 1 Item 2 Type of Violation: **Serious**

29 CFR 1910.157(c)(4): Portable fire extinguishers were not maintained in a fully charged and operable condition. Portable fire extinguishers were not kept in their designated places at all times except during use and were not maintained in a fully charged and operable condition at all times:

- a) Breezeway Entrance to Maintenance - Employees entering and working in the maintenance shop were exposed to fire hazards from a fire extinguisher not in its designated space, on or about August 19th, 2014.
- b) Hunter Shake Out Fire Extinguisher - Employees working in the area of the Hunter Shake Out were exposed to fire hazards from an uncharged fire extinguisher mounted on the wall, on or about August 19th, 2014.
- c) Hunter Pour Area Fire Extinguisher - Employees pouring metal were exposed to fire hazards from an uncharged fire extinguisher, on or about June 24th, 2014.

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

Date By Which Violation Must be Abated:
Proposed Penalty:

01/15/2015
\$3080.00

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 982283
Inspection Date(s): 06/24/2014 - 12/11/2014
Issuance Date: 12/18/2014



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 1 Item 3 Type of Violation: **Serious**

29 CFR 1910.178(q)(5): All parts of any such industrial truck requiring replacement were not replaced with parts equivalent to the safety of those used in the original design:

- a) Core room forklift - The Toyota Model #42-6FGCU15 forklift, Serial #69353, used to move cores, had two different types of seat belt ends making the seatbelt not equivalent to the safety used in the original design, on or about June 24th, 2014.

No abatement certification or documentation required.

Date By Which Violation Must be Abated:
Proposed Penalty:

Corrected During Inspection
\$2310.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 2 Item 1 Type of Violation: **Willful**

29 CFR 1910.23(c)(1): Open-sided floors and/or platforms four feet or more above adjacent floor or ground level were not guarded with standard railings (or equivalent) and toe boards:

- a) The employer does not require open-sided floors and/or platforms four feet or more above adjacent floors to have standard railings or equivalent. This violation was most recently observed at 275 North Queen Street, Shippensburg on July 23, 2014, where an employee climbing up the front of the small Pangborn shot blast unit was exposed to a fall hazard of approximately 96.5 inches (approximately 8 feet) above the floor and 64 inches (5 feet, 4 inches) to the shaker conveyor and was not provided with fall protection. To abate this ongoing violation, the employer must provide and require the use of standard railing or equivalent while employees are working near open-sided floors and/or platforms four feet or more above adjacent floors.
- b) The employer does not require open-sided floors and/or platforms four feet or more above adjacent floors to have standard railings or equivalent. This violation was most recently observed at 275 North Queen Street, Shippensburg on June 24th, 2014, where employees putting additives into the iron on the back of the Large Pour deck were exposed to a fall hazard of approximately fifty-six (56) inches from an unguarded platform. To abate this ongoing violation, the employer must provide and require the use of standard railing or equivalent while employees are working near open-sided floors and/or platforms four feet or more above adjacent floors.
- c) The employer does not require open-sided floors and/or platforms four feet or more above adjacent floors to have standard railings or equivalent. This violation was most recently observed at 275 North Queen Street, Shippensburg on June 24th, 2014, where employees checking and walking by the charge pit were exposed to a fall hazard of approximately fifty-three (53) inches from an opening in the guardrail. To abate this ongoing violation, the employer must provide and require the use of standard railing or equivalent while employees are working near open-sided floors and/or platforms four feet or more above adjacent floors.

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 982283
Inspection Date(s): 06/24/2014 - 12/11/2014
Issuance Date: 12/18/2014



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Domestic Casting Company LLC was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA inspection number 818141, citation number 2, item number 1 and was affirmed as a final order on 10/18/2013, with respect to a workplace located at 275 North Queen Street, Shippensburg.

Domestic Casting Company LLC was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA inspection number 116215120, citation number 2, item number 1 and was affirmed as a final order on 07/21/2011, with respect to a workplace located at 275 North Queen Street, Shippensburg.

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	01/15/2015
Proposed Penalty:	\$42350.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 3 Item 1 Type of Violation: **Repeat**

OSH ACT of 1970 Section (5)(a)(1): The employer did not furnish employment and a place of employment which were free from recognized hazards that were causing or likely to cause death or serious physical harm to employees in that employees were exposed to potential crushing injuries from falling loads and/or lift parts:

- a) Hunter Deck Robbins & Myers Hook Block - Employees pouring on the Hunter Deck with the Robbins & Myers hook block were exposed to a struck by injuries from the safety latch missing on the hook, on or about June 24th, 2014.
- b) Ductile Transfer Electro Lift Hook Block - Employees transferring ductile with the Electro Lift hook block were exposed to a struck by injuries from the safety latch missing on the hook, on or about June 24th, 2014.
- c) Magnet Crane Pendant - Employees filling the charge bucket were exposed to a struck-by hazard from magnet crane pendant controls without Left, In, and Out clearly marked, on or about June 24th, 2014.

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

Domestic Casting Company LLC was previously cited for a violation of the occupational safety and health ACT of 1970 Section (5)(a)(1), which was contained in OSHA inspection number 924719, citation number 1, item number 2 and was affirmed as a final order on 03/28/2014, with respect to a workplace located at 275 North Queen Street, Shippensburg.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 982283
Inspection Date(s): 06/24/2014 - 12/11/2014
Issuance Date: 12/18/2014



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Among other methods, several feasible and acceptable abatement methods to correct this hazard are to conduct frequent inspections during operation of the hoists for missing or defective equipment, repair or replace damaged or worn parts that are found as a result of these inspections in accordance with ASME B30.11.2010, Monorails and Underhung Cranes.

Date By Which Violation Must be Abated:
Proposed Penalty:

Corrected During Inspection
\$7700.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 3 Item 2 Type of Violation: **Repeat**

29 CFR 1910.23(a)(5): Every pit and/or trap door floor opening, while the cover was not in place, was not constantly attended by someone or was not protected on all exposing sides by removable standard railings:

- a) Large Furnace Emergency Pit - Employees walking by and filling ductile were exposed to a fall hazard of approximately twelve (12) feet from an open emergency dump pit in front of the large furnace, on or about June 21st, 2014.

No abatement certification or documentation required.

Domestic Casting Company LLC was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA inspection number 116215120, citation number 1, item number 1a and was affirmed as a final order on 07/21/2011, with respect to a workplace located at 275 North Queen Street, Shippensburg.

Date By Which Violation Must be Abated:
Proposed Penalty:

Corrected During Inspection
\$10780.00



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 3 Item 3 Type of Violation: **Repeat**

29 CFR 1910.23(d)(1)(i): Flight(s) of stairs with four or more risers, less than 44 inches wide and having both sides enclosed, were not equipped with at least one standard handrail:

- a) Stairway Under Furnace Deck - Employees performing maintenance below the furnace deck are exposed to fall hazards from the stairway leading below the deck not having at least one standard handrail, on or about June 24th, 2014.
- b) Pit Below Magnet Belt System - Employees cleaning the sand in pit 1 were exposed to fall hazards from the last five (5) steps of the stairway missing a handrail, on or about July 31st, 2014.

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

Domestic Casting Company LLC was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA inspection number 924719, citation number 1, item number 5 and was affirmed as a final order on 3/28/2014, with respect to a workplace located at 275 North Queen Street, Shippensburg.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	01/15/2015
Proposed Penalty:	\$7700.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor

Occupational Safety and Health Administration

Inspection Number: 982283

Inspection Date(s): 06/24/2014 - 12/11/2014

Issuance Date: 12/18/2014



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC

Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 3 Item 4 Type of Violation: **Repeat**

29 CFR 1910.23(d)(1)(ii): Stairway(s) less than 44 inches wide having one side open, did not have at least one stair railing on the open side:

- a) Small Furnace Deck Back Stairway - Employees accessing/egressing from the small furnace deck were exposed to a fall hazard from an open sided stairway without at least one stair railing on the open side, on or about June 24th, 2014.

No abatement certification or documentation required.

Domestic Casting Company LLC was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA inspection number 924719, citation number 1, item number 5 and was affirmed as a final order on 03/28/2014, with respect to a workplace located at 275 North Queen Street, Shippensburg.

Date By Which Violation Must be Abated:
Proposed Penalty:

Corrected During Inspection
\$4620.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 3 Item 5 Type of Violation: **Repeat**

29 CFR 1910.37(b)(2): Each exit was not clearly visible and marked by a sign reading "Exit":

- a) Main Office - Employees working in the main office area were exposed to fire hazards from exits not marked with a sign reading "Exit", on or about June 24th, 2014.

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

Domestic Casting Company LLC was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA inspection number 835024, citation number 1, item number 1a and was affirmed as a final order on 07/30/2013, with respect to a workplace located at 275 North Queen Street, Shippensburg.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	01/15/2015
Proposed Penalty:	\$4620.00



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 3 Item 6 Type of Violation: **Repeat**

29 CFR 1910.303(b)(7)(i): Unused openings in boxes, raceways, auxiliary gutters, cabinets, equipment cases, or housings were not effectively closed to afford protection substantially equivalent to the wall of the equipment:

- a) Rumbler Room - The employee working in the Rumbler Room was exposed to electrical hazard from an approximate two (2) inch plug missing in the main shutoff, for the machine the employee uses, on or about July 31st, 2014.
- b) Shot Blast Room- There was an unused opening along the side of the control panel for the small blast unit, on or about July 23, 2014.

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

Domestic Casting Company LLC was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA inspection number 924719, citation number 2, item number 6 and was affirmed as a final order on 03/28/2014, with respect to a workplace located at 275 North Queen Street, Shippensburg.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 982283
Inspection Date(s): 06/24/2014 - 12/11/2014
Issuance Date: 12/18/2014



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Domestic Casting Company LLC was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA inspection number 116215120, citation number 1, item number 8a and was affirmed as a final order on 07/21/2011, with respect to a workplace located at 275 North Queen Street, Shippensburg.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	01/15/2015
Proposed Penalty:	\$19250.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 3 Item 7 Type of Violation: **Repeat**

29 CFR 1910.303(g)(2)(i): Except as elsewhere required or permitted by Subpart S of Part 1910, live parts of electric equipment operating at 50 volts or more were not guarded against accidental contact by use of approved cabinets or other forms of approved enclosures or by any of the means identified in paragraphs (A), (B), (C), and (D) of 29 CFR 1910.303(g)(2)(i):

- a) Shot Blast Area - The High Voltage electrical panel located on the back of the small shot blast machine was not closed and had openings that exposed employees to injurious contact with electric current, on or about July 23, 2014.
- b) Shot Blast Area - The control panel for the large shot blast machine was not closed and had openings that exposed employees to injurious contact with electric current, on or about July 23, 2014.
- c) 400 Sand Core Machine - The employee operating the 400 Sand Core Machine was exposed to an electrocution hazard from the back panel of the machine being open, on or about July 31, 2014.
- d) Panel in Breezeway/Pattern Storage Right Side of Paint Room Access - Employees walking through breezeway/pattern storage to go to the paint room or the maintenance room were exposed to electrical hazards from an electrical box that was stuffed with wires and left open, on or about July 31st, 2014.
- e) Panel in Breezeway/Pattern Storage Left Side of Paint Room Access - Employees walking through breezeway/pattern storage to go to the paint room or the maintenance room were exposed to electrical hazards from an electrical box that was stuffed with wires and left open, on or about July 31st, 2014.
- f) Panel in Breezeway/Pattern Storage by Exit - The employee using the breezeway/pattern storage exit as a shortcut was exposed to an electrical hazard from open electrical boxes and or housings, on or about July 31st, 2014.

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Abatement certification and documentation required within 10 days after abatement date. The certification shall include a statement that abatement is complete, the date and method of abatement, and state that employees and their representatives were informed of this abatement. Abatement documentation shall include documents demonstrating that abatement is complete, such as evidence of the purchase or repair of equipment, photographic or video evidence of abatement or other written records.

Domestic Casting Company LLC was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA inspection number 818141, citation number 2, item number 4 and was affirmed as a final order on (10/18/2013), with respect to a workplace located at 275 North Queen Street, Shippensburg, PA.

Domestic Casting Company LLC was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA inspection number 113744577, citation number 2, item number 3 and was affirmed as a final order on (07/19/2012), with respect to a workplace located at 275 North Queen Street, Shippensburg, PA.

Domestic Casting Company LLC was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA inspection number 116215120, citation number 1, item number 8b and was affirmed as a final order on (07/21/2011), with respect to a workplace located at 275 North Queen Street, Shippensburg, PA.

Date By Which Violation Must be Abated:
Proposed Penalty:

Corrected During Inspection
\$10780.00



Citation and Notification of Penalty

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257

Citation 4 Item 1 Type of Violation: **Other-than-Serious**

29 CFR 1910.24(g): Stairway platforms were not at least the width of the stairway and 30 inches in length measured in the direction of travel:

- a) Front Office Entrance - Employees entering the front entrance were exposed to fall hazards from the stairway platform measuring less than 30 inches, on or about June 25th, 2014.

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

Date By Which Violation Must be Abated:
Proposed Penalty:

01/15/2015
\$0.00



Kevin Kilp
Area Director

U.S. Department of Labor
Occupational Safety and Health Administration
43 Kline Village
Harrisburg, PA 17104
Phone: 717-782-3902 Fax: 717-782-3746



INVOICE / DEBT COLLECTION NOTICE

Company Name: Domestic Casting Company, LLC
Inspection Site: 275 North Queen Street, Shippensburg, PA 17257
Issuance Date: 12/18/2014

Summary of Penalties for Inspection Number	982283
Citation 1, Serious	\$10010.00
Citation 2, Willful	\$42350.00
Citation 3, Repeat	\$65450.00
Citation 4, Other-than-Serious	\$0.00
TOTAL PROPOSED PENALTIES	\$117810.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is <https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$50,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the

amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to 2 times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

Interest: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

Delinquent Charges: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

Administrative Costs: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.



Kevin Kilp
Area Director

12-18-2014
Date