

**U.S. Department of Labor**  
Occupational Safety and Health Administration  
Suite A  
5807 Breckenridge Parkway  
Tampa, FL 33610  
Phone: (813)626-1177 FAX: (813)626-7015



---

## Citation and Notification of Penalty

---

**To:**  
Fritz Aluminum Services, Inc  
and its successors  
2599 W. HWY 44  
Eustis, FL 32726

**Inspection Number:** 316028570  
**Inspection Date(s):** 09/09/2011 - 09/09/2011  
**Issuance Date:** 02/27/2012

**Inspection Site:**  
2599 W. HWY 44  
Eustis, FL 32726

*The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.*

---

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above. Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

**Posting** - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or , if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer. **The penalty dollar amounts need not be posted and may be marked out or covered up prior to posting.**

**Informal Conference** - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal

conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the page 3 Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

**Right to Contest** - You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.

**Penalty Payment** - Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to "DOL-OSHA". Please indicate the Inspection Number on the remittance.

OSHA does not agree to any restrictions or conditions or endorsements put on any check or money order for less than the full amount due, and will cash the check or money order as if these restrictions, conditions, or endorsements do not exist.

The law also requires a copy of all abatement verification documents, required by 29 CFR 1903.19 to be sent to OSHA, also be posted at the location where the violation appeared and the corrective action took place.

**Employer Discrimination Unlawful** - The law prohibits discrimination by an employer against an employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

**Employer Rights and Responsibilities** - The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

**Notice to Employees** - The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

## **NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE**

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 02/27/2012. The conference will be held at the OSHA office located at Suite A, 5807 Breckenridge Parkway, Tampa, FL, 33610 on \_\_\_\_\_ at \_\_\_\_\_. Employees and/or representatives of employees have a right to attend an informal conference.



**Citation and Notification of Penalty**

**Company Name:** Fritz Aluminum Services, Inc  
**Inspection Site:** 2599 W. HWY 44, Eustis, FL 32726

---

**Citation 1 Item 1 Type of Violation: **Serious****

29 CFR 1910.107(b)(10): Panels did not effectively isolate the spraying area from the area in which the lighting unit was located, and were not of a nature or so protected that breakage will be unlikely. Panels were not arranged such that normal accumulations of residue on the exposed surface of the panel could not be raised to a dangerous temperature by radiation or conduction from the source of illumination.

a) For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/09/2011: fluorescent lighting fixtures in the powder coating booth were not designed/approved for class 2 environments; additionally, the lenses were cracked such that combustible residue was deposited on the fluorescent bulbs behind the cracked plastic covering, subjecting the combustible dust/residue to high temperatures.

**ABATEMENT DOCUMENTATION REQUIRED**

**Date By Which Violation Must be Abated:** 03/08/2012  
**Proposed Penalty:** \$ 4200.00

---

See pages 1 through 3 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

Company Name: Fritz Aluminum Services, Inc  
Inspection Site: 2599 W. HWY 44, Eustis, FL 32726

---

**Citation 1 Item 2 Type of Violation: **Serious****

29 CFR 1910.107(h)(12): Electrostatic spray area(s) were not provided with automatic sprinkler protection or other approved automatic extinguishing equipment:

a) For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/09/2011: powder coating of aluminum and other metals took place in a powder coating booth. There were no sprinklers or any other extinguishing means in the booth. Employees were exposed to fire hazards from the combustible powder coating dust due lack of automatic extinguishment equipment.

**ABATEMENT DOCUMENTATION REQUIRED**

Date By Which Violation Must be Abated: 03/15/2012  
Proposed Penalty: \$ 4200.00

**Citation 1 Item 3 Type of Violation: **Serious****

29 CFR 1910.107(i)(6): Electrically conductive objects in the electrostatic hand spraying area(s) were not adequately grounded:

a) For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/09/2011: metal racks carrying metallic parts that were coated, and the metallic parts themselves, were not grounded.

Date By Which Violation Must be Abated: 03/02/2012  
Proposed Penalty: \$ 3000.00



**Citation and Notification of Penalty**

**Company Name:** Fritz Aluminum Services, Inc  
**Inspection Site:** 2599 W. HWY 44, Eustis, FL 32726

---

**Citation 1 Item 4 Type of Violation: **Serious****

29 CFR 1910.107(i)(8): Electrical equipment for electrostatic hand spraying was not so interlocked with the ventilation of the spraying area(s) that the equipment cannot be operated unless the ventilation fan(s) are in operation:

a) For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/01/2011 and 09/09/2011: electrical equipment for the powder coating gun was not interlocked with the ventilation fan for the powder coating booth. Employees were exposed to explosion/fire hazards in the event that the electrostatic gun was operated without any ventilation to minimize the combustible powder coating dust concentration in the air.

**Date By Which Violation Must be Abated:** 03/11/2012  
**Proposed Penalty:** \$ 3000.00

**Citation 1 Item 5 Type of Violation: **Serious****

29 CFR 1910.107(l)(4)(ii): Surfaces were not cleaned in such a manner as to avoid scattering dust to other places or creating dust clouds:

a) For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/09/2011: employees cleaned off the floor of the powder coating booth and the floor behind the powder coating booth with compressed air. This produced clouds of combustible dust resulting in a fire or explosion hazard.

**ABATEMENT DOCUMENTATION REQUIRED**

**Date By Which Violation Must be Abated:** 03/02/2012  
**Proposed Penalty:** \$ 4200.00

---

See pages 1 through 3 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Fritz Aluminum Services, Inc  
**Inspection Site:** 2599 W. HWY 44, Eustis, FL 32726

---

**Citation 1 Item 6 Type of Violation: **Serious****

29 CFR 1910.107(1)(4)(iii): "No Smoking" signs in large letters on contrasting color background were not conspicuously posted at all powder coating areas and powder storage rooms:

- a) For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/09/2011: Management did not enforce a no smoking policy in the workplace. The only "No-Smoking" sign posted near the booth was faded due to dust deposits on the sign. The sign which was hanging by one corner on an exterior wall was 6 feet from the powder booth was blocked from view by a ladder and other equipment hung in front of the sign. Employees ignored the sign and smoked at the powder booth area as evidenced by cigarette butts lying in combustible dust at the powder booth face area.
  
- b) "No-Smoking" signs were not posted at the powder coating room in the building opposite the fabrication/powder coating facility.

**ABATEMENT DOCUMENTATION REQUIRED**

**Date By Which Violation Must be Abated:** 03/02/2012  
**Proposed Penalty:** \$ 3000.00



**Citation and Notification of Penalty**

Company Name: Fritz Aluminum Services, Inc  
Inspection Site: 2599 W. HWY 44, Eustis, FL 32726

---

**Citation 1 Item 7 Type of Violation: **Serious****

29 CFR 1910.212(a)(1): One or more methods of machine guarding was not provided to protect the operator and other employees in the machine area from hazards such as those created by point of operation, ingoing nip points, rotating parts, flying chips and sparks:

a) For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/09/2011: Carolina and Proseries horizontal metal band saws were used by employees on a daily basis. At the point of operation, the unused portion of the saws' blades were not guarded, and employees were exposed to laceration and amputation hazards associated with the unguarded blades. The unguarded blade section was measured to be approximately 8 inches long.

Date By Which Violation Must be Abated: 03/08/2012  
Proposed Penalty: \$ 3000.00

**Citation 1 Item 8a Type of Violation: **Serious****

29 CFR 1910.215(a)(4): Grinding machinery was not used with work rest(s) to support offhand grinding work:

a) For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/09/2011: A Dayton bench grinder used by employees in the welding area did not have work/tool rests on each of its abrasive wheels.

Date By Which Violation Must be Abated: 03/05/2012  
Proposed Penalty: \$ 2400.00

---

See pages 1 through 3 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Fritz Aluminum Services, Inc  
**Inspection Site:** 2599 W. HWY 44, Eustis, FL 32726

---

**Citation 1 Item 8b** Type of Violation: **Serious**

29 CFR 1910.215(b)(9): Guard for abrasive wheel machine where the operator stands in front of the machine was not constructed so that the peripheral protecting member could be adjusted to the constantly decreasing diameter of the wheel:

- a) For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/09/2011: employees used, on a daily basis, a bench grinder that did not have an adjusting tongue guard.

Date By Which Violation Must be Abated:

03/05/2012

---

See pages 1 through 3 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Fritz Aluminum Services, Inc  
**Inspection Site:** 2599 W. HWY 44, Eustis, FL 32726

---

**Citation 1 Item 9 Type of Violation: **Serious****

1910.303(f)(1): Each disconnecting means required by this subpart for motors and appliances was not legibly marked to indicate its purpose.

For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/09/2011: electrical switch boxes controlling power distribution to fans and other equipment were not labeled to indicate the equipment they controlled. It was not readily apparent what equipment they controlled, and employees were unsure what equipment these switch boxed supplied power to.

a) In the north-west section of the building, behind the washer booth, an electrical disconnect/switch box was unlabeled as to its function. Employees thought it powered circuitry to a fan/motor behind the powder booth but were not really sure. If switched on, it was thought that the disconnect would energize electrical circuitry and a ventilation fan that were covered in a class 2 combustible dust behind the powder coating booth. This resulted in an electrical ignition source for the class 2 combustible dust that covered electrical equipment and exposed wires in the area behind the powder coating booth. Employees needing to work on the ventilation fan, which had a broken blade, were also exposed to laceration or amputation hazards associated with inadvertent startup of the ventilation fan by throwing the unidentified disconnect.

b) On the west exterior wall was another electrical disconnect/ switch box. It was also not labeled to indicate its purpose/function.

**Date By Which Violation Must be Abated:** 03/02/2012  
**Proposed Penalty:** \$ 3000.00

---

See pages 1 through 3 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Fritz Aluminum Services, Inc  
**Inspection Site:** 2599 W. HWY 44, Eustis, FL 32726

---

**Citation 1 Item 10 Type of Violation: **Serious****

29 CFR 1910.307(c): Equipment in hazardous (classified) location(s) was not approved for the class of location and/or for the ignitable or combustible properties of the specific gas, vapor, dust, or fiber that was present:

For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/09/2011: equipment in the powder coating area was not rated for a class 2 combustible dust and was covered with a class 2 combustible powder coating dust due to daily emission of dust from the powder coating booth. Employees were exposed to fire/explosion hazards from the dust being ignited by the exposed electrical wiring and unapproved electrical equipment.

- a) 110V wiring in an open switch box with class 2 combustible dust deposited on the open, exposed wiring.
- b) 110V junction boxes and conduits in the drop ceiling.
- c) Wiring conduit on the top of the powder coating booth for booth lighting.
- d) Electric motor for the powder coating booth fan ventilation, located on the north end of the powder coating booth.
- e) Electric motor for a hot air blower on the ground near the east wall of the oven.

**ABATEMENT DOCUMENTATION REQUIRED**

**Date By Which Violation Must be Abated:** 03/15/2012  
**Proposed Penalty:** \$ 4200.00

---

See pages 1 through 3 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Fritz Aluminum Services, Inc  
**Inspection Site:** 2599 W. HWY 44, Eustis, FL 32726

---

**Citation 2 Item 1 Type of Violation: **Willful****

29 CFR 1910.107(l)(2)(i): All non-deposited air-suspended powder was not safely removed via exhaust ducts to the powder recovery cyclone or receptacle, and each installation was not designed and operated to remove the combustible dust to a safe location:

a) For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/01/2011 and 09/09/2011: air passing through the booth filters was emitted to the building environment. Visible combustible dust was released from the clogged inner cartridge filters and clogged and missing rear filter banks resulting in combustible accumulations inside the booth and on the floor and surfaces outside of the booth. Combustible dust was also released from the face of the booth due to the location where larger parts were coated at. Coating was observed to occur outside the face of the booth where the booth air velocity was not high enough to capture the dust resulting in combustible dust accumulations in the drop ceiling, rafters, and upper surfaces.

**ABATEMENT DOCUMENTATION REQUIRED**

**Date By Which Violation Must be Abated:** 03/11/2012  
**Proposed Penalty:** \$ 14000.00



### Citation and Notification of Penalty

**Company Name:** Fritz Aluminum Services, Inc  
**Inspection Site:** 2599 W. HWY 44, Eustis, FL 32726

---

### Citation 2 Item 2 Type of Violation: **Willful**

29 CFR 1910.107(l)(4)(i): All areas were not kept free of the accumulation of powder coating dust:

For the Fritz Aluminum job shop at 2599 W. Hwy 44, Eustis, FL 32726, as observed on or about 09/09/2011: employees were exposed to fire and explosion hazards associated with the following locations:

- a) The accumulation of combustible dust on the floor area around the powder coating booth. The dust around the powder coating booth was measured to occupy a floor surface area of 411 square feet at an average depth of .16 inches resulting in a potential dust concentration of over 1000 grams/(cubic meter). This concentration is over 10 times the maximum MEC (minimum explosive concentration) value reported on dust material safety data sheets due the large amounts of combustible dust accumulation in the confined area around the powder booth. The dust on the floor outside the powder coating booth was analyzed to be a combustible class 2 dust with an explosion severity of 0.61
- b) Powder coating dust was also accumulated in the powder coating booth at depths up to 6 inches below the cartridge filters and was covering the floor and walls of the powder coating booth. The dust inside the powder coating booth was analyzed to be a combustible class 2 dust with an explosion severity of 1.12.
- c) Powder coating dust was accumulated on top of the powder coating booth at depths of 0.25 to 0.5 inches This dust was also analyzed to be a combustible class 2 dust with an explosion severity of 0.79.
- d) Combustible powder coating dust was accumulated in/on top of the drop ceiling at measured depths of 0.125 inches. For the approximately 15 ft. by 12ft. confined area of this drop ceiling dust accumulation, the potential dust concentration was over 10 times the maximum MEC (minimum explosive concentration) value reported on dust material safety data sheets due the large amounts of combustible dust accumulation in the confined area in the drop ceiling.
- e) All the dust accumulation measured in the entire powder coating room was enough to occupy 20% of the entire floor surface area of the powder coating room at measured depths ranging form 0.03125 inches to 0.5 inches for accumulations outside of the powder booth and depths of 6 inches for accumulations inside the powder coating booth. The potential dust concentration for the whole powder coating room, as a result of dust accumulations, was approximately 10 times the maximum MEC (minimum explosive concentration) value reported on dust material safety data sheets due the combustible dust accumulation in the powder coating area.

---

See pages 1 through 3 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



**Citation and Notification of Penalty**

**Company Name:** Fritz Aluminum Services, Inc  
**Inspection Site:** 2599 W. HWY 44, Eustis, FL 32726

---

**ABATEMENT DOCUMENTATION REQUIRED**

**Date By Which Violation Must be Abated:** 03/08/2012  
**Proposed Penalty:** \$ 14000.00

*Leslie L. Grove III*

---

Leslie L. Grove III  
Area Director

**U.S. Department of Labor**  
Occupational Safety and Health Administration  
Suite A  
5807 Breckenridge Parkway  
Tampa, FL 33610  
Phone: 813-626-1177 FAX: 813-626-7015



## INVOICE/ DEBT COLLECTION NOTICE

---

**Company Name:** Fritz Aluminum Services, Inc  
**Inspection Site:** 2599 W. HWY 44, Eustis, FL 32726  
**Issuance Date:** 02/27/2012

**Summary of Penalties for Inspection Number 316028570**

<b>Citation 1, Serious</b>	<b>= \$ 34200.00</b>
<b>Citation 2, Willful</b>	<b>= \$ 28000.00</b>
<b>TOTAL PROPOSED PENALTIES</b>	<b>= \$ 62200.00</b>

---

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Please make your check or money order payable to: "DOL-OSHA", and submit to 5807 Breckenridge Parkway, Suite A, Tampa, FL 33610-4249. Please indicate OSHA's Inspection Number (indicated above) on the remittance.

OSHA does not agree to any restrictions or conditions or endorsements put on any check or money order for less than full amount due, and will cash the check or money order as if these restrictions, conditions, or endorsements do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy the check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur with 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to two (2) times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

**Interest.** Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is four percent (4%). Interest will accrue from the

date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

**Delinquent Charges.** A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

**Administrative Costs.** Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.

Leslie L. Grove III

Leslie L. Grove III  
Area Director

2/27/2012  
Date

U.S. DEPARTMENT OF LABOR  
OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION

GUIDELINES FOR PREPARING A NOTIFICATION OF CORRECTIVE ACTION

**Notification of Corrective Action** - For **each** violation which you do not contest, you are required by 29 CFR 1903.19 to submit an Abatement Certification to the Area Director of the OSHA office issuing the citation and identified above. The certification **must** be sent by you within **10 calendar days** of the abatement date indicated on the citation. For **Willful** and **Repeat** violations, documents (examples: photos, copies of receipts, training records, etc.) demonstrating that abatement is complete must accompany the certification. Where the citation is classified as **Serious** and the citations states that abatement documentation is required, documents such as those described above are required to be submitted along with the abatement certificate. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item.

**All abatement verification documents must contain the following information:** 1) Your name and address; 2) the inspection number (found on the front page); 3) the citation and citation item number(s) to which the submission relates; 4) a statement that the information is accurate; 5) the signature of the employer or employer's authorized representative; 6) the date the hazard was corrected; 7) a brief statement of how the hazard was corrected; and 8) a statement that affected employees and their representatives have been informed of the abatement.

The law also requires a copy of all abatement verification documents, required by 29 CFR 1903.19 to be sent to OSHA, also be posted at the location where the violation appeared and the corrective action took place.

**Inspection Activity Data**

You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to your inspection will be available 30 calendar days after the Citation Issuance Date. You are encouraged to review the information concerning your establishment at [WWW.OSHA.GOV](http://WWW.OSHA.GOV). If you have any dispute with the accuracy of the information displayed, please contact this office.

**NOTE: NON-CERTIFICATION OF ABATEMENT CAN RESULT IN ADDITIONAL PENALTIES BEING ASSESSED!**

**Please Reply To The Attention Of: Keith Piercy**

Fritz Aluminum Services, Inc  
2599 W. HWY 44,  
Eustis, FL 32726

The hazard referenced in Inspection Number **316028570** for the violation identified as:

**EXAMPLE: Citation No. 1, Item 1, Instance (a) was corrected on January 1, 2001, by installing a lower blade guard on the Radial Arm Saw.**

The hazard referenced in Inspection Number \_\_\_\_\_ for the violation identified as Citation \_\_\_\_\_ and Item \_\_\_\_\_ was corrected on \_\_\_\_\_ by the following method: \_\_\_\_\_.

The hazard referenced in Inspection Number \_\_\_\_\_ for the violation identified as Citation \_\_\_\_\_ and Item \_\_\_\_\_ was corrected on \_\_\_\_\_ by the following method: \_\_\_\_\_.

The hazard referenced in Inspection Number \_\_\_\_\_ for the violation identified as Citation \_\_\_\_\_ and Item \_\_\_\_\_ was corrected on \_\_\_\_\_ by the following method: \_\_\_\_\_.

The hazard referenced in Inspection Number \_\_\_\_\_ for the violation identified as Citation \_\_\_\_\_ and Item \_\_\_\_\_ was corrected on \_\_\_\_\_ by the following method: \_\_\_\_\_.

The hazard referenced in Inspection Number \_\_\_\_\_ for the violation identified as Citation \_\_\_\_\_ and Item \_\_\_\_\_ was corrected on \_\_\_\_\_ by the following method: \_\_\_\_\_.

I attest that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement activities described in this certification.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Typed or Printed Name