

## U.S. Department of Labor

Occupational Safety and Health Administration  
8713 Airport Freeway  
Suite 302  
Fort Worth, TX 76180  
Phone: 817-428-2470 Fax: 817-581-7723



---

# Citation and Notification of Penalty

---

**To:**  
Pilgrim's  
and its successors  
2500 East Lake Shore  
Waco, TX 76705

**Inspection Number:** 1094769  
**Inspection Date(s):** 10/01/2015 - 12/09/2015  
**Issuance Date:** 03/29/2016

**Inspection Site:**  
2500 East Lake Shore  
Waco, TX 76705

*The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.*

---

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty **you either call to schedule an informal conference (see paragraph below) or you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above.** Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

**Posting** - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

**Informal Conference** - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

**Right to Contest** – You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. **Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.**

**Penalty Payment** – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to “DOL-OSHA”. Please indicate the Inspection Number on the remittance. You can also make your payment electronically on [www.pay.gov](http://www.pay.gov). On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>.

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

**Notification of Corrective Action** – For each violation which you do not contest, you must provide ***abatement certification*** to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that ***abatement documentation*** is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

**Discrimination Unlawful** – The law prohibits discrimination by an employer against an employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

**Employer Rights and Responsibilities** – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

**Notice to Employees** – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

**Inspection Activity Data** – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at [www.osha.gov](http://www.osha.gov). If you have any dispute with the accuracy of the information displayed, please contact this office.



## NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 03/29/2016. The conference will be held by telephone or at the OSHA office located at 8713

Airport Freeway, Suite 302, Fort Worth, TX 76180 on \_\_\_\_\_ at

\_\_\_\_\_. Employees and/or representatives of employees have a right to attend an informal conference.

**CERTIFICATION OF CORRECTIVE ACTION WORKSHEET**

**Inspection Number: 1094769**

Company Name: Pilgrim's  
Inspection Site: 2500 East Lake Shore, Waco, TX 76705  
Issuance Date: 03/29/2016

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, 8713 Airport Freeway, Suite 302, Fort Worth, TX 76180**

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

Citation Number \_\_\_\_\_ and Item Number \_\_\_\_\_ was corrected on \_\_\_\_\_  
By (Method of Abatement): \_\_\_\_\_

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Typed or Printed Name

\_\_\_\_\_  
Title

**NOTE: 29 USC 666(g)** whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

**POSTING:** A copy of completed Corrective Action Worksheet should be posted for employee review



**Citation and Notification of Penalty**

**Company Name:** Pilgrim's  
**Inspection Site:** 2500 East Lake Shore, Waco, TX 76705

---

**Citation 1 Item 1** Type of Violation: **Serious**

29 CFR 1910.119(d)(3)(i)(D): Information pertaining to the equipment in the process did not include relief system design and design basis:

The employer failed to ensure that process safety information included the pressure relief design and design basis.

This violation was observed in the new and old ammonia refrigeration system engine rooms on or about October 1, 2015 and at times prior thereto, when the employer failed to document the design and design basis information for the relief headers for the entire ammonia refrigeration process system. This condition exposed employees to hazards of fire and explosion or inhalation of ammonia vapors.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	04/19/2016
Proposed Penalty:	\$7000.00



**Citation and Notification of Penalty**

**Company Name:** Pilgrim's  
**Inspection Site:** 2500 East Lake Shore, Waco, TX 76705

---

**Citation 1 Item 2** Type of Violation: **Serious**

29 CFR 1910.119(e)(3)(i): The process hazard analysis did not address the hazards of the process.

The employer failed to ensure the hazards of the process were addressed.

This violation was observed in the ammonia refrigeration engine room on or about October 1, 2015 and at times prior thereto, when the employer failed to ensure the process hazard analysis addressed the hazards associated with locating the control room and maintenance facilities within the ammonia refrigeration engine room. This condition exposed employees to hazards of fire and inhalation hazards

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	04/19/2016
Proposed Penalty:	\$7000.00



### Citation and Notification of Penalty

**Company Name:** Pilgrim's  
**Inspection Site:** 2500 East Lake Shore, Waco, TX 76705

---

#### Citation 2 Item 1 Type of Violation: **Repeat**

29 CFR 1910.119(d)(3)(ii): The employer did not document that the equipment in the process complied with recognized and generally accepted good engineering practices.

The employer failed to document that equipment in the process complied with recognized and generally accepted good engineering practices (RAGAGEP).

a) The violation was observed on or about October 01, 2015 and at times prior thereto in "new" and "old" engine rooms when the employer failed to document that detectors activate visual and audible alarms outside each entrance to refrigeration machinery rooms in accordance with RAGAGEP such as ANSI/IIAR 2-2008 where employees were exposed to fire or inhalation hazards of ammonia.

b) The violation was observed on or about October 01, 2015 and at times prior thereto in engine room when the employer failed to document that ventilation controls were located outside the principal entrance to engine room in accordance with RAGAGEP such as ANSI/IIAR 2-2008 and/or ANSI/ASHRAE 15-2010 where employees were exposed to fire or inhalation hazards of ammonia.

c) The violation was observed on or about October 01, 2015 and at times prior thereto in engine room when the employer failed to document that emergency stops were located immediately outside principal entrance to engine room in accordance with RAGAGEP such as ANSI/IIAR 2-2008 and/or ANSI/ASHRAE 15-2010 where employees were exposed to fire or inhalation hazards of ammonia.

d) The violation was observed on or about October 01, 2015 and at times prior thereto in engine room when the employer failed to document that the allowable piping discharge lengths were in accordance with RAGAGEP such as ANSI/ASHRAE 15-2010 where employees were exposed to fire or inhalation hazards of ammonia.

Repeat language for instances d:

PILGRIM'S WAS PREVIOUSLY CITED FOR A VIOLATION OF THIS OCCUPATIONAL SAFETY AND HEALTH STANDARD OR ITS EQUIVALENT STANDARD 29 CFR 1910.119(d)(3)(ii),

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.





**Citation and Notification of Penalty**

**Company Name:** Pilgrim's  
**Inspection Site:** 2500 East Lake Shore, Waco, TX 76705

---

WHICH WAS CONTAINED IN OSHA INSPECTION NUMBER #1001857, CITATION NUMBER 1, ITEM NUMBER 1 AND WAS AFFIRMED AS FINAL ORDER ON MARCH 25, 2015, WITH RESPECT TO A WORKPLACE LOCATED AT 928 MARTIN L. KING, NACOGDOCHES, TX 75965.

Repeat language for instance a, b, c:

PILGRIM'S WAS PREVIOUSLY CITED FOR A VIOLATION OF THIS OCCUPATIONAL SAFETY AND HEALTH STANDARD OR ITS EQUIVALENT STANDARD 29 CFR 1910.119(d)(3)(ii), WHICH WAS CONTAINED IN OSHA INSPECTION NUMBER #844143, CITATION NUMBER 2, ITEM NUMBER 1/a AND WAS AFFIRMED AS FINAL ORDER ON JUNE 13, 2014, WITH RESPECT TO A WORKPLACE LOCATED AT 401 SOUTH 3RD STREET, DE QUEEN, AR 71832.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	04/19/2016
Proposed Penalty:	\$70000.00



**Citation and Notification of Penalty**

**Company Name:** Pilgrim's  
**Inspection Site:** 2500 East Lake Shore, Waco, TX 76705

**Citation 2 Item 2** Type of Violation: **Repeat**

29 CFR 1910.119(j)(4)(iv): The documentation of the inspection or test that been performed on process equipment to maintain its mechanical integrity did not identify the date of the inspection or test, the serial number or other identifier of the equipment on which the inspection or test was performed, a description of the inspection or test, and the results of the inspection or test.

The employer does not ensure inspections and tests performed on process equipment are documented with the date, serial number or equipment identifier, a description, and the result(s) of the inspection or test.

This violation was observed in the "new" and "old" ammonia refrigeration engine rooms on or about October 1, 2015 and at times prior thereto, when the employer failed to ensure inspections and tests performed on ammonia refrigeration system cutouts were documented with the date, serial number or equipment identifier, a description of the test/inspection performed, and the result(s) of the inspection or test. Identified cutouts include but are not limited to Compressor Discharge High/Low Pressure, Compressor High/Low Oil Pressure Differential, Compressor High Discharge Temperature, and High/Low Vessel Levels. This condition exposed employees to fire, explosion, and inhalation hazards.

PILGRIM'S WAS PREVIOUSLY CITED FOR A VIOLATION OF THIS OCCUPATIONAL SAFETY AND HEALTH STANDARD OR ITS EQUIVALENT STANDARD 29 CFR 1910.119(j)(4)(iv), WHICH WAS CONTAINED IN OSHA INSPECTION NUMBER #844143, CITATION NUMBER 1, ITEM NUMBER 8b AND WAS AFFIRMED AS FINAL ORDER ON JUNE 13, 2014, WITH RESPECT TO A WORKPLACE LOCATED AT 401 south 3RD STREET, DE QUEEN, AR 71832.

**ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM**

Date By Which Violation Must be Abated:	04/19/2016
Proposed Penalty:	\$38500.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

**U.S. Department of Labor**  
Occupational Safety and Health Administration


**Inspection Number:** 1094769  
**Inspection Date(s):** 10/01/2015 - 12/09/2015  
**Issuance Date:** 03/29/2016



**Citation and Notification of Penalty**

**Company Name:** Pilgrim's  
**Inspection Site:** 2500 East Lake Shore, Waco, TX 76705

---



**Jack A. Rector**  
Area Director

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

**U.S. Department of Labor**  
Occupational Safety and Health Administration  
8713 Airport Freeway  
Suite 302  
Fort Worth, TX 76180  
Phone: 817-428-2470 Fax: 817-581-7723



## INVOICE / DEBT COLLECTION NOTICE

---

**Company Name:** Pilgrim's  
**Inspection Site:** 2500 East Lake Shore, Waco, TX 76705  
**Issuance Date:** 03/29/2016

<b>Summary of Penalties for Inspection Number</b>	<b>1094769</b>
<b>Citation 1, Serious</b>	<b>\$14000.00</b>
<b>Citation 2, Repeat</b>	<b>\$108500.00</b>
<b>TOTAL PROPOSED PENALTIES</b>	<b>\$122500.00</b>

---

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically on [www.pay.gov](http://www.pay.gov). On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is <https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.


If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to 2 times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

**Interest:** Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

**Delinquent Charges:** A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

**Administrative Costs:** Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.



\_\_\_\_\_  
**Jack A. Rector**  
Area Director

3/29/2016

\_\_\_\_\_  
Date