

U.S. Department of Labor
Occupational Safety and Health Administration
701 Route 73 South
Building 2, Suite 120
Marlton, NJ 08053
Phone: 856-596-5200 Fax: 856-596-5201



Citation and Notification of Penalty

To:
UNITED HOSPITAL SUPPLY CORP.
and its successors
PO BOX 1238
Burlington, NJ 08016

Inspection Number: 1066120
Inspection Date(s): 05/27/2015 – 10/27/2015
Issuance Date: 11/18/2015

Inspection Site:
4422 ROUTE 130 SOUTH
Burlington, NJ 08016

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty **you either call to schedule an informal conference (see paragraph below) or** you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above. Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Right to Contest – You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. **Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.**

Penalty Payment – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to “DOL-OSHA”. Please indicate the Inspection Number on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>.

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

Notification of Corrective Action – For each violation which you do not contest, you must provide ***abatement certification*** to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that ***abatement documentation*** is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

Employer Discrimination Unlawful – The law prohibits discrimination by an employer against an

employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

Employer Rights and Responsibilities – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

Notice to Employees – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Inspection Activity Data – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 11/18/2015. The conference will be held by telephone or at the OSHA office located at 701 Route 73 South, Building 2, Suite 120, Marlton, NJ 08053 on _____ at

_____. Employees and/or representatives of employees have a right to attend an informal conference.

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Inspection Number: 1066120

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016
Issuance Date: 11/18/2015

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, 701 Route 73 South, Building 2, Suite 120, Marlton, NJ 08053**

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

Signature

Date

Typed or Printed Name

Title

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1066120
Inspection Date(s): 05/27/2015 – 10/27/2015
Issuance Date: 11/18/2015



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 1 Item 1 Type of Violation: **Serious**

29 CFR 1910.178(a)(4): Modifications and additions which affect capacity and safe operation of powered industrial truck were performed by the employer without the manufacturer's prior written approval:

- a) Shipping Department: 8 foot extensions were added to each of the forks of the Hyster S50XM S/N 0187V30031A without the forklift manufacturer's written approval, on or about 07/23/2015.
- b) Receiving Department: 8 foot extensions were added to each of the forks of the Hyster S50XM S/N 0187V30031A without the forklift manufacturer's written approval, on or about 07/23/2015.

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

Date By Which Violation Must be Abated: 12/11/2015
Proposed Penalty: \$5,500.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1066120
Inspection Date(s): 05/27/2015 – 10/27/2015
Issuance Date: 11/18/2015



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 1 Item 2 Type of Violation: **Serious**

29 CFR 1910.178(p)(1): Powered industrial truck(s) found to be in need of repair, defective, or in any way unsafe had not been taken out of service until restored to safe operating condition(s):

a) Shipping Department: The Forklift Hyster Model S50XM, Serial # 0187V30031A had a non-functioning horn and was not taken out of service, on or about 07/23/2015.

NOTE: IN ADDITON TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	12/11/2015
Proposed Penalty:	\$7,000.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1066120
Inspection Date(s): 05/27/2015 – 10/27/2015
Issuance Date: 11/18/2015



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 1 Item 3 Type of Violation: **Serious**

29 CFR 1910.215(b)(9): The distance between the abrasive wheel periphery(s) and the adjustable tongue or the end of the safety guard peripheral member at the top exceeded one fourth inch:

a) Grinding station: The distance between the wheel and the periphery guard of the Bench Grinder S/N G6-301-17 was one and half inches, on or about 05/27/2015.

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

Date By Which Violation Must be Abated:	12/11/2015
Proposed Penalty:	\$3,300.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1066120
Inspection Date(s): 05/27/2015 – 10/27/2015
Issuance Date: 11/18/2015



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 1 Item 4 Type of Violation: **Serious**

29 CFR 1910.253(b)(2)(ii): Assigned storage spaces for cylinders were not located where cylinders could not be knocked over or damaged by passing or falling objects, or subject to tampering by unauthorized persons:

a) Welding area, open welding station: A C-25 compressed gas cylinder used for welding was not secured from being knocked over, observed on or about 03/03/2015.

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

Date By Which Violation Must be Abated:	12/11/2015
Proposed Penalty:	\$4,400.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1066120
Inspection Date(s): 05/27/2015 – 10/27/2015
Issuance Date: 11/18/2015



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 1 Item 5 Type of Violation: **Serious**

29 CFR 1910.303(c)(3)(i): All splices and joints and the free ends of the conductors were not covered with an insulation equivalent to that of the conductors or with an insulating device identified for the purpose.

a) Shipping area: The cord of a fan (no identifying marks) was spliced and covered with masking tape, on or about 05/27/2015.

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

Date By Which Violation Must be Abated:	12/11/2015
Proposed Penalty:	\$3,300.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1066120
Inspection Date(s): 05/27/2015 – 10/27/2015
Issuance Date: 11/18/2015



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 1 Item 6 Type of Violation: **Serious**

29 CFR 1910.305(b)(1)(i): Openings through which conductors entered cutout boxes, cabinets, or fittings were not effectively closed:

a) Welding station: The opening, where a conductor entered a 4 inch x 4 inch metal receptacle box, was not effectively closed, on or about 7/23/2015.

NOTE: THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT CERTIFICATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

Date By Which Violation Must be Abated:	12/11/2015
Proposed Penalty:	\$3,300.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1066120
Inspection Date(s): 05/27/2015 – 10/27/2015
Issuance Date: 11/18/2015



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 2 Item 1 Type of Violation: **Willful**

29 CFR 1910.252(b)(2)(iii): Where the work permitted, the welder was not enclosed in an individual booth painted with a finish of low reflectivity such as zinc oxide (an important factor for absorbing ultraviolet radiations) and lamp black, or where the work did not permit, the welder was not enclosed with noncombustible screens similarly painted like the individual booth:

a) Welding area - Northwest corner of building: Five welding stations were not enclosed with noncombustible screens, on or about 5/27/2015.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	12/11/2015
Proposed Penalty:	\$44,000.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1066120
Inspection Date(s): 05/27/2015 – 10/27/2015
Issuance Date: 11/18/2015



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 3 Item 1 Type of Violation: **Repeat**

29 CFR 1910.178(n)(11): Dockboard(s) or bridgeplate(s) were not properly secured before they were driven over:

a) Shipping area: The dock plate in use did not have feet to secure it in place, on or about 5/27/2015,.

United Hospital Supply Corporation, was previously cited for a violation of this Occupational Safety and Health Standard or its equivalent standard, which was contained in OSHA Inspection Number 314581422, Citation Number 1, Item number 9 and was affirmed as a final order on 11/24/2010, with respect to a workplace located at 4422 Route 130 South, Burlington NJ 08016.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	12/11/2015
Proposed Penalty:	\$7,600.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 3 Item 2 Type of Violation: **Repeat**

29 CFR 1910.212(a)(3)(ii): Point(s) of operation of machinery were not guarded to prevent employee(s) from having any part of their body in the danger zone(s) during operating cycle(s):

- a) Press brake area southeast side of building between punch press area and shipping area: The point of operation of the Amada NC 9-Ex II Model FBD8025E (S/N 8500613) Press Brake, was not guarded, on or about 05/27/2015.
- b) Press brake area southeast side of building between punch press area and shipping area: The point of operation of the Amada Model 125 (S/N 01251430) Press Brake, was not guarded, on or about 05/27/2015.
- c) Press brake area southeast side of building between punch press area and shipping area: The point of operation of the Amada (no identifying marks) Press Brake, was not guarded, on or about 05/27/2015.

United Hospital Supply Corporation was previously cited for a violation of this Occupational Safety and Health Standard or its equivalent standard, which was contained in OSHA Inspection Number 314581422, Citation Number 1, Item Number 1 and was affirmed as a final order on 11/24/2010, with respect to a workplace located at 4422 Route 130 South, Burlington NJ 08016.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	12/11/2015
Proposed Penalty:	\$15,400.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 3 Item 3 Type of Violation: **Repeat**

29 CFR 1910.303(b)(2): Listed or labeled electrical equipment was not used or installed in accordance with instructions included in the listing or labeling:

- a) Welding station: A 4 inch x4 inch metal receptacle box was not mounted to a wall or installed in accordance to the manufacturer instructions and was used as a power strip to power a phone and a hand held grinder, observed on or about 7/23/2015.
- b) Shipping department: Two power strips were used to power equipment such a Ryobi cutter and hand held drills, on or about 05/27/2015.

United Hospital Supply Corporation was previously cited for a violation of this Occupational Safety and Health Standard or its equivalent standard, which was contained in OSHA Inspection Number 314581422, Citation Number 1, Item Number 16 and was affirmed as a final order on 11/24/2010, with respect to a workplace located at 4422 Route 130 South, Burlington NJ 08016.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	12/11/2015
Proposed Penalty:	\$7,600.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 3 Item 4 Type of Violation: **Repeat**

29 CFR 1910.303(g)(1)(ii): The required working space about electric equipment rated 600 volts, nominal, or less to ground, was used for storage:

a) Near dip tanks area: An electrical panel was obstructed by stored material such as metal bars and metal sheets, observed on or about 5/27/2015.

b) Outside the paint department: An electrical panel was obstructed by boxes of material and containers, observed on or about 7/23/2015.

United Hospital Supply Corporation was previously cited for a violation of this Occupational Safety and Health Standard or its equivalent standard, which was contained in OSHA Inspection Number 314581422, Citation Number 1, Item Number 17 and was affirmed as a final order on 11/24/2015, with respect to a workplace located at 4422 Route 130 South, Burlington NJ 08016.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:	12/11/2015
Proposed Penalty:	\$7,600.00



Citation and Notification of Penalty

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016

Citation 3 Item 5 Type of Violation: **Repeat**

29 CFR 1910.305(g)(2)(iii): Flexible cords and cables shall be connected to devices and fittings so that strain relief is provided that will prevent pull from being directly transmitted to joints or terminal screws.

a) Welding station: The cord of a 4 inch x 4 inch metal receptacle box used as a power strip to power a phone and a hand held grinder, had damaged strain relief, on or about 7/23/2015.

United Hospital Supply Corporation was previously cited for a violation of this Occupational Safety and Health Standard or its equivalent standard, which was contained in OSHA Inspection Number 314581422, Citation Number 1, Item Number 20(c) and was affirmed as a final order on 11/24/2010, with respect to a workplace located at 4422 Route 130 South, Burlington NJ 08016.

NOTE: IN ADDITION TO ABATEMENT CERTIFICATION, THE EMPLOYER IS REQUIRED TO SUBMIT ABATEMENT DOCUMENTATION FOR THIS ITEM. FAILURE TO COMPLY WILL RESULT IN AN ADDITIONAL PENALTY OF \$1000.00 IN ACCORDANCE WITH 29 CFR 1903.19.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

12/11/2015
\$7,600.00

A handwritten signature in black ink, appearing to read "Paula Dixon-Roderick", written over a horizontal line.

Paula Dixon-Roderick
Area Director

U.S. Department of Labor
Occupational Safety and Health Administration
701 Route 73 South
Building 2, Suite 120
Marlton, NJ 08053
Phone: 856-596-5200 Fax: 856-596-5201



INVOICE / DEBT COLLECTION NOTICE

Company Name: UNITED HOSPITAL SUPPLY CORP.
Inspection Site: 4422 ROUTE 130 SOUTH, Burlington, NJ 08016
Issuance Date: 11/18/2015

Summary of Penalties for Inspection Number	1066120
Citation 1, Serious	\$26,800.00
Citation 2, Willful	\$44,000.00
Citation 3, Repeat	\$45,800.00
TOTAL PROPOSED PENALTIES	\$116,600.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is <https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your


original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to 2 times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

Interest: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

Delinquent Charges: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

Administrative Costs: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.



Paula Dixon-Roderick

Area Director

11/18/15
Date