

OSHA Bloodborne Pathogens Quiz 2: Statistics & Pathophysiology

Multiple Choice

Identify the choice that best completes the statement or answers the question.

- ____ 1. Which of the following does NOT fit into the category of other potentially infectious materials?
- a. Feces and urine
 - b. Fluid surrounding heart and lungs
 - c. Amniotic fluid
 - d. Sperm
- ____ 2. Which hepatitis is bloodborne, common in the U.S., is more common among IV drug users and more likely to develop into the chronic form?
- a. Hepatitis A
 - b. Hepatitis B
 - c. Hepatitis C
 - d. Hepatitis D
- ____ 3. True or False? More people die each year from AIDS than from hepatitis.
- a. True
 - b. False
- ____ 4. True or False? With both hepatitis and HIV, the person often does not know they are infected.
- a. True
 - b. False
- ____ 5. John is a paramedic who just gave an injection. As he goes to place the sharp in the sharps container the ambulance hits a bump and he gets stuck. He knows the patient has hepatitis C. Which of the following is correct, based on your understanding of hepatitis C?
- a. John is less likely to contract hepatitis than if the client had hepatitis B.
 - b. John is more likely to contract hepatitis than if the client had hepatitis B.
 - c. Both hepatitis B and hepatitis C are of equal risk.
 - d. John has no risk of contracting hepatitis C from a needle stick.
- ____ 6. Which of the following is not a function of the liver?
- a. Storage of vitamins and minerals
 - b. Fluid balance
 - c. Detoxify drugs
 - d. Production of substances that thin the blood
- ____ 7. The liver is:
- a. the size of a tennis ball.
 - b. located in the left lower abdomen.
 - c. connected to the gall bladder, which is connected to the bowel
 - d. made up of over a million cells
- ____ 8. Ascites is a complication of hepatitis. Which of the following reflects your understanding of the cause of this complication?
- a. Vitamin A is not of adequate levels
 - b. The liver is not able to detoxify alcohol
 - c. The liver is not able to break down protein to albumin
 - d. The patient's appetite was stimulated from malnutrition

- ____ 9. Which person is at LEAST risk of contracting hepatitis?
- a. Sandra takes an arthritis medication known to reduce the function of the immune system
 - b. Jordyn who attends stress reduction classes at the community recreation center
 - c. Jacob who gets four hours of sleep studying for final exams
 - d. Steve who grabs a donut and coffee on his way to work
- ____ 10. From the statistical data on HIV/AIDS, one can safely conclude:
- a. HIV/AIDS rates are much higher on continents with several third world countries.
 - b. Healthcare workers are not practicing high risk behaviors, so are not at risk of contracting it
 - c. Those who are homosexual are of the least risk of contracting it
 - d. HIV/AIDS is of no risk to Idahoans.
- ____ 11. Which is able to survive on a surface for up to one week, if body substances are present on the same surface?
- a. Hepatitis A
 - b. Hepatitis B
 - c. Hepatitis C
 - d. HIV/AIDS
- ____ 12. Which of the following is NOT tracked in the person diagnosed with HIV/AIDS?
- a. Incidence of infections
 - b. T cell count
 - c. Virus count
 - d. Cure of the disease
- ____ 13. The average conversion time from HIV negative to HIV positive in a person exposed to HIV?
- a. One week
 - b. One month
 - c. Six weeks
 - d. Three years
- ____ 14. Most HIV/AIDS deaths result from:
- a. an infection of the liver.
 - b. an infection that would not kill most.
 - c. suicide.
 - d. side effects of the prescribed medications

ID: A

OSHA Bloodborne Pathogens Quiz 2

Answer Section

MULTIPLE CHOICE

- | | |
|------------|--------|
| 1. ANS: A | PTS: 1 |
| 2. ANS: C | PTS: 1 |
| 3. ANS: B | PTS: 1 |
| 4. ANS: A | PTS: 1 |
| 5. ANS: A | PTS: 1 |
| 6. ANS: D | PTS: 1 |
| 7. ANS: C | PTS: 1 |
| 8. ANS: C | PTS: 1 |
| 9. ANS: B | PTS: 1 |
| 10. ANS: A | PTS: 1 |
| 11. ANS: B | PTS: 1 |
| 12. ANS: D | PTS: 1 |
| 13. ANS: C | PTS: 1 |
| 14. ANS: B | PTS: 1 |