

## RESIDENTIAL CONSTRUCTION PRE TEST ANSWERS

Please circle the best answer to each question below. This is not a graded test.

1. Even if the extension cord you are using is in good condition, a GFCI is required.  
**a. True**  
b. False
  
2. Which of the following is not a result of practicing good housekeeping on the jobsite?  
a. Reduced trip and fall hazards  
b. Helps control pest harborage  
**c. Reminds you to clean your house**  
d. Lowers the possibility of a fire or explosion
  
3. OSHA standards allow electricians to splice and repair extension cords used in residential construction.  
a. True  
**b. False**
  
4. When working on scaffolding, some type of fall protection is required above \_\_\_\_\_ feet.  
a. 6  
b. 8  
**c. 10**  
d. 12
  
5. Class C hardhats are rated at \_\_\_\_\_ volts.  
**a. 0**  
b. 200  
c. 2,000  
d. 20,000

6. Wall openings above 6 feet from the lower surface that are wider than \_\_\_\_\_ inches shall be guarded to prevent falls.
  - a. **18**
  - b. 24
  - c. 32
  - d. 36
  
7. Eye protection is only required for the individual creating the hazard.
  - a. True
  - b. **False**
  
8. Residential construction is exempt from OSHA fall protection standards.
  - a. True
  - b. **False**
  
9. The top brace on a ladder jack scaffold can be made of \_\_\_\_\_.
  - a. Wood
  - b. Fiberglass
  - c. **Metal**
  - d. Rope
  
10. A competent person is one who:
  - a. Has the ability to recognize hazards
  - b. Finished High School
  - c. Has the authority to correct problems
  - d. a & b
  - e. **a & c**