

# TEST

## Oil and Gas Industry: Recognizing and Controlling Health and Safety Hazards

1. What is the OSHA website URL?
  - a. safety.com
  - b. osha.gov
  - c. niosh.gov
  - d. none of the above
  
2. What should you do if you believe working conditions are unsafe or unhealthful?
  - a. keep it to yourself and forget about it
  - b. call the county board of health
  - c. notify your employer first and then OSHA if necessary
  - d. go straight to OSHA
  
3. What responsibilities does your employer have under OSHA?
  - a. provide a workplace free from recognized hazards and comply with OSHA standards
  - b. provide training required by OSHA standards
  - c. not discriminate against workers who exercise their rights under the Act [Section 11(c)]
  - d. all of the above
  
4. Fall protection is required at how many feet or more for general industry?
  - a. 4
  - b. 10
  - c. 12
  - d. 15
  
5. What is a PFAS?
  - a. personal fall ascent system
  - b. partial fall ascent system
  - c. personal fall arrest system
  - d. partial fall arrest system
  
6. When ascending and descending a ladder or stairs, at least how many points of contact should you maintain?
  - a. 1
  - b. 2
  - c. 3
  - d. 4
  
7. How should a person on the ground control a suspended load being moved?
  - a. use a pole with a hook on the end
  - b. grab the rigging
  - c. grab only the load
  - d. use a tag line

8. When working at heights, how must you keep your tools from dropping onto an employee or equipment?
  - a. keep them in your pocket when not in use
  - b. use a tail rope to connect the tool to your harness
  - c. keep them under your hard hat when not in use
  - d. keep a firm grip on the tools at all times
  
9. Which of the following is NOT a step in controlling pressurized lines?
  - a. install whip checks
  - b. match thread and size of connections
  - c. test connections by running an extremely high pressure through the line
  - d. ensure connections are not worn or damaged
  
10. How many seconds is it acceptable to stand under a suspended load?
  - a. 0
  - b. 1
  - c. 2
  - d. 3
  
11. Which of the following is the best way to prevent pinch point injuries?
  - a. post pinch point signs to warn employees
  - b. whenever possible, guard the pinch point so no part of the body can enter the pinch point area
  - c. have an employee stand guard at each pinch point
  - d. let the toolpusher know the locations of all pinch points
  
12. You, your equipment, and materials should stay at least how many feet away from overhead powerlines?
  - a. 2
  - b. 10
  - c. 30
  - d. 100
  
13. What must be connected in some way to each extension cord that is in use?
  - a. an AC/DC convertor
  - b. a GFCI
  - c. a 3-to2 prong adaptor
  - d. a cord reel
  
14. What should an equipment operator who has contacted an overhead powerline NOT do?
  - a. stay in the equipment, if possible
  - b. jump with feet apart
  - c. shuffle or hop across the ground
  - d. warn all others to stay away
  
15. A worker mixing chemicals must NOT wear
  - a. safety glasses
  - b. goggles
  - c. gloves
  - d. long sleeves

16. What are the three routes of entry of chemicals into the body?
- ears, eyes, and mouth
  - nose, mouth, and skin
  - swallowing, inhaling, and drinking
  - ingestion, inhalation, and absorption
17. How can a worker find out what chemical is in a product that they use?
- ask your supervisor
  - look on the label
  - read the MSDS
  - all of the above
18. An MSDS
- is an acronym for Material Safety Data Sheet
  - should be on file for hazardous chemicals used, stored, or produced on site
  - provides information for handling and storing chemicals
  - all of the above
19. How much should a properly tensioned geronimo escape line sag in the middle?
- 1-2 feet
  - 3-5 feet
  - 6-12 feet
  - it should not sag at all
20. First aid kits should be
- located in a visible location
  - fully stocked
  - available for use
  - all of the above
21. According to OSHA, how often must portable fire extinguishers be visually inspected?
- daily
  - weekly
  - monthly
  - yearly
22. What is the correct order of atmospheric testing?
- flammables, toxics, oxygen, other
  - toxics, oxygen, flammables, other
  - oxygen, toxics, flammables, other
  - oxygen, flammables, toxics, other
23. A space that meets the definition of a confined space and contains other recognized serious safety and health hazards is what?
- a confined space
  - a permit-required confined space
  - a non-permit-required confined space
  - not a confined space

24. Unless a suitable barrier is built, combustibles must be kept how many feet away from the welding operation?
- 15
  - 25
  - 35
  - 50
25. The fire watch at the end of the welding operation must last at least how long?
- 30 minutes
  - 1 hour
  - 2 hours
  - 3 hours
26. Acetylene must not be used above what pressure (psig)?
- 1
  - 2
  - 10
  - 15
27. What material handling-related injury is known to be the number one cause of workers compensation claims?
- workers being struck by falling materials
  - equipment contacting powerlines
  - back injuries
  - none of the above
28. Slings that have no labels or labels too worn to read must be
- used with extreme caution
  - used on only lightweight loads
  - pulled from service, tagged, and destroyed
  - none of the above
29. When should forklift operators wear their seat belts?
- when operating near drop-offs
  - when backing up
  - only when learning to operate
  - at all times
30. Which of the following is the safest sling angle?
- 5°
  - 10°
  - 30°
  - 60°