This material was produced under grant number SH-05073-SH8 from the Occupational Safety and Health Administration, U.S. Department of Labor. It does not necessarily reflect the views or policies of the U.S. Department of Labor, nor does mention of trade names, commercial products, or organizations imply endorsement by the U.S. Government.

Post-Test **Personal Protection Equipment**

AME:	DATE:
4\ =-	
a. b. c. d. e.	Performing a "hazard assessment" of the workplace to identify and control physical and health hazards. Identifying and providing appropriate PPE for employees. Training employees in the use and care of the PPE. Maintaining PPE, including replacing worn or damaged PPE. Periodically reviewing, updating and evaluating the effectiveness All of the above.
	In employer shall provide, at no cost to the employee, the initial issue of the type of PPE that is itable for the work to be performed:
	True False
b. I	
b. I —— 3) W a. I	False (hich of the following is not considered a common safety hazard: Flying sawdust particles
b. I 3) W a. I b. I	False Thich of the following is not considered a common safety hazard: Flying sawdust particles Hair entanglement
b. I 3) W a. I b. I c. I d. S	False (hich of the following is not considered a common safety hazard: Flying sawdust particles
b. I 3) W a. I b. I c. E d. S e. V	False Thich of the following is not considered a common safety hazard: Flying sawdust particles Hair entanglement Broken fingernail Splash of extremely hot water
b. I 3) W a. I b. I c. E d. S e. V 4) Ey	False Thich of the following is not considered a common safety hazard: Flying sawdust particles Hair entanglement Broken fingernail Splash of extremely hot water Wet floor The protection should be: Durable
b. I a. I b. I c. E d. S e. V 4) Ey	False Which of the following is not considered a common safety hazard: Flying sawdust particles Hair entanglement Broken fingernail Splash of extremely hot water Wet floor ye protection should be: Durable Not interfere with vision.
b. I a. I b. I c. E d. S e. V 4) Ey a. I b. I c. H	False Thich of the following is not considered a common safety hazard: Flying sawdust particles Hair entanglement Broken fingernail Splash of extremely hot water Wet floor The protection should be: Durable
b. I a. I b. I c. E d. S e. V 4) Ey a. I b. I c. H	False Chich of the following is not considered a common safety hazard: Flying sawdust particles Hair entanglement Broken fingernail Splash of extremely hot water Wet floor The protection should be: Durable Not interfere with vision. Kept in good repair. All of the above
b. I a. I b. I c. E d. S e. V 4) Ey a. I b. I c. I d. A	False Chich of the following is not considered a common safety hazard: Flying sawdust particles Hair entanglement Broken fingernail Splash of extremely hot water Wet floor The protection should be: Durable Not interfere with vision. Kept in good repair. All of the above
b. I a. I b. I c. E d. S e. V 4) Ey a. I b. I c. H d. / d. /	False Thich of the following is not considered a common safety hazard: Flying sawdust particles Hair entanglement Broken fingernail Splash of extremely hot water Wet floor The protection should be: Durable Not interfere with vision. Kept in good repair. All of the above employer is required to assess the workplace to determine if hazards that necessitate the use

Post-Test **Personal Protective Equipment**

NAME:	DATE:	
6) The primary objective of PPE is to prote hazards:	ect employees by creating a barrier against workplace	
a. True b. False		
7) Safety glasses used in conjunction with using grinding equipment:	a face-shield provide the greatest level of protection when	
A. True B. False		
8) Safety glasses should be approved and	marked with:	
A. ANSI; Z-87 B. LOTO; W-40 C. NORM; L-20 D. ROW; Y-78		
9) Before requiring an employee to use PP	E, an employer must provide training in the following:	
 a. When PPE is necessary b. The type of PPE required c. How to wear PPE properly d. The limits of the PPE e. Proper care, maintenance, useful life, and f. All of the above 	d disposal of PPE	
10) Safety footwear must meet standards	set by ANSI and:	
a. American Society for Testing and Materia b. International Chemical Workers Union (IO		

c. National Fire Protection Association (NFPA)

d. National Safety Commission (NSC)

Post-Test **Personal Protection Equipment**

IAME:	DATE:
1) Employers are responsible for:	
 a. Performing a "hazard assessment" of the b. Identifying and providing appropriate PP c. Training employees in the use and care d. Maintaining PPE, including replacing wor e. Periodically reviewing, updating and eva f. All of the above. 	of the PPE. on or damaged PPE.
2) An employer shall provide, at no cost suitable for the work to be performed:	to the employee, the initial issue of the type of PPE that is
<mark>a. True</mark> b. False	
3) Which of the following is not considered	ed a common safety hazard:
a. Flying sawdust particles	
b. Hair entanglementc. Broken fingernail	
d. Splash of extremely hot water	
e. Wet floor	
4) Eye protection should be:	
a. Durable	
b. Not interfere with vision.	
c. Kept in good repair. d. All of the above	
5) An employer is required to assess the w	vorkplace to determine if hazards that necessitate the use
of personal protective equipment are p	resent or are likely to be present only if an injury occurs.
a. True	
b. False	

Post-Test **Personal Protective Equipment**

NAME:	DATE:
6) The primary objective of PPE is to pro hazards:	tect employees by creating a barrier against workplace
<mark>a. True</mark> b. False	
7) Safety glasses used in conjunction wit using grinding equipment:	h a face-shield provide the greatest level of protection when
<mark>A. True</mark> B. False	
8) Safety glasses should be approved an	d marked with:
A. ANSI; Z-87	
B. LOTO; W-40 C. NORM; L-20	
D. ROW; Y-78	
9) Before requiring an employee to use P	PE, an employer must provide training in the following:
a. When PPE is necessary	
b. The type of PPE required	
c. How to wear PPE properlyd. The limits of the PPE	
e. Proper care, maintenance, useful life, a	nd disposal of PPE
f. All of the above	
10) Safety footwear must meet standards	s set by ANSI and:
a. American Society for Testing and Mater	ials (ASTM)

b. International Chemical Workers Union (ICWU) c. National Fire Protection Association (NFPA)

d. National Safety Commission (NSC)