Occupational Safety and Health Administration U.S. Custom House, Room 242 Second & Chestnut Street Philadelphia, PA 19106

Phone: 215-597-4955 Fax: 215-597-1956



Citation and Notification of Penalty

To:

Seitz Technical Products, Inc. and its successors 1041 Hickory Hill Road Oxford, PA 19363

Inspection Site: 160 Limestone Road Oxford, PA 19363 **Inspection Number: 1000415**

Inspection Date(s): 09/08/2014 - 09/08/2014

Issuance Date: 02/06/2015

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty you either call to schedule an informal conference (see paragraph below) or you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above. Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Right to Contest — You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. <u>Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.</u>

Penalty Payment – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to "DOL-OSHA". Please indicate the Inspection Number on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on OSHA Penalty Payment Form. The direct link is:

https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334.

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$50,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

Notification of Corrective Action – For each violation which you do not contest, you must provide *abatement certification* to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that *abatement documentation* is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

Employer Discrimination Unlawful - The law prohibits discrimination by an employer against an

employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

Employer Rights and Responsibilities – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

Notice to Employees – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Inspection Activity Data – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.

U.S. Department of Labor Occupational Safety and Health Administration

t. a. .



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

have a right to attend an informal confer	rence.
at	Employees and/or representatives of employees
Custom House, Room 242, Second & C	hestnut Street, Philadelphia, PA 19106 on
02/06/2015. The conference will be held	d by telephone or at the OSHA office located at U.S.
An informal conference has been schedu	uled with OSHA to discuss the citation(s) issued on

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Inspection Number: 1000415

Company Name: Seitz Technical Products, Inc.

Inspection Site: 160 Limestone Road, Oxford, PA 19363

Issuance Date: 02/06/2015

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: U.S. Department of Labor - Occupational Safety and Health Administration, U.S. Custom House, Room 242, Second & Chestnut Street, Philadelphia, PA 19106 Citation Number ____ and Item Number ____ was corrected on ____ By (Method of Abatement): Citation Number ____ and Item Number ____ was corrected on ____ By (Method of Abatement): Citation Number ____ was corrected on ____ By (Method of Abatement): Citation Number ____ and Item Number ____ was corrected on ____ By (Method of Abatement): Citation Number and Item Number was corrected on By (Method of Abatement): Citation Number ____ and Item Number ____ was corrected on ____ By (Method of Abatement): I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement. Signature Date

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

Title

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review

Typed or Printed Name

Occupational Safety and Health Administration Inspection Date(s): 09/08/2014 - 09/08/2014

Inspection Number: 1000415

Issuance Date: 02/06/2015



Citation and Notification of Penalty

Company Name: Seitz Technical Products, Inc.

Inspection Site: 160 Limestone Road, Oxford, PA 19363

Citation 1 Item 1 Type of Violation: Serious

29 CFR 1910.22(a)(1): All places of employment, passageways, storerooms or service rooms were not kept clean and orderly or in a sanitary condition.

a) Production floor - The employer did not ensure that electric conduits, cables, aluminum rods, and other materials were kept in an orderly manner, exposing employees to tripping hazards. Observed on or about 09/08/2014

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

Date By Which Violation Must be Abated:

02/19/2015

Proposed Penalty: \$4620.00

Occupational Safety and Health Administration Inspection Date(s): 09/08/2014 - 09/08/2014

Inspection Number: 1000415

Issuance Date: 02/06/2015



Citation and Notification of Penalty

Company Name: Seitz Technical Products, Inc.

Inspection Site: 160 Limestone Road, Oxford, PA 19363

Citation 1 Item 2 Type of Violation: Serious

29 CFR 1910.305(b)(2)(i): Each outlet box in completed installations did not have a cover, faceplate, or fixture canopy:

a) Main floor - Two outlet boxes used to power equipment were missing covers, which exposed employees to electrical hazards. Observed on or about 09/08/2014

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

Date By Which Violation Must be Abated:

02/13/2015

Proposed Penalty:

\$3850.00

Occupational Safety and Health Administration Inspection Date(s): 09/08/2014 - 09/08/2014

Inspection Number: 1000415

Issuance Date: 02/06/2015



Citation and Notification of Penalty

Company Name: Seitz Technical Products, Inc.

Inspection Site: 160 Limestone Road, Oxford, PA 19363

Citation 1 Item 3 Type of Violation: Serious

29 CFR 1910.1200(f)(5)(i): The employer did not ensure that each container of hazardous chemicals in the workplace was labeled, tagged or marked with the identity of the hazardous chemical(s) contained therein:

a) At the jobsite - The employer did not ensure that each container of hazardous chemicals in the workplace was labeled with legible markings. The labels for two tanks containing Alodine and Ridoline were partially covered by paint and/or spotted by chemicals. Observed on or about 09/08/14

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

Date By Which Violation Must be Abated: Proposed Penalty:

02/17/2015 \$3080.00

Occupational Safety and Health Administration Inspection Date(s): 09/08/2014 - 09/08/2014

Inspection Number: 1000415

Issuance Date: 02/06/2015



Citation and Notification of Penalty

Company Name: Seitz Technical Products, Inc.

Inspection Site: 160 Limestone Road, Oxford, PA 19363

Citation 1 Item 4 Type of Violation: Serious

29 CFR 1910.1200(g)(8): The employer did not maintain in the workplace copies of the required safety data sheets for each hazardous chemical, and did not ensure that they were readily accessible during each work shift to employees when they were in their work area(s)

a) Main floor - The employer did not maintain safety data sheets to assist employees working with hazardous chemicals such as, but not limited to, Alodine, Ridoline, Polane Reducer K69, and Polane Catalyst V66 V27. Observed on or about 09/08/14

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

Date By Which Violation Must be Abated: Proposed Penalty:

02/17/2015 \$3080.00

Occupational Safety and Health Administration Inspection Date(s): 09/08/2014 - 09/08/2014

Inspection Number: 1000415

Issuance Date: 02/06/2015



Citation and Notification of Penalty

Company Name: Seitz Technical Products, Inc.

Inspection Site: 160 Limestone Road, Oxford, PA 19363

Citation 1 Item 5 Type of Violation: Serious

29 CFR 1910.1200(h)(1): Employees were not provided effective information and training on hazardous chemicals in their work area at the time of their initial assignment and whenever a new hazard that the employees had not been previously trained about was introduced into their work area:

a) Main floor - The employer did not provide effective information and training to employees using hazardous chemicals. The employees were using Alodine, Ridoline, and paint thinners in their work area. Observed on or about 09/08/14

Abatement certification required within 10 days after abatement date. The certification shall include a statement that abatement is complete, date and method of abatement, and states employees and their representatives were informed of this abatement.

Date By Which Violation Must be Abated: Proposed Penalty:

02/19/2015

\$3080.00

Occupational Safety and Health Administration Inspection Date(s): 09/08/2014 - 09/08/2014

Inspection Number: 1000415

Issuance Date: 02/06/2015



Citation and Notification of Penalty

Company Name: Seitz Technical Products, Inc.

Inspection Site: 160 Limestone Road, Oxford, PA 19363

Citation 2 Item 1 Type of Violation: Repeat

29 CFR 1910.141(a)(3)(i): Places of employment were not kept clean to the extent that the nature of the work allowed:

a) Office area - Trash and cardboard boxes were found on the floor, exposing employees to fire hazards, trip hazards and vermin infestation. Observed on or about 09/08/2014

Seitz Technical Products, Inc. was previously cited for a violation of this occupational safety and health standard or its equivalent standard 29 CFR 1910.141(a)(3)(i), which was contained in OSHA inspection number 924098, citation number 1, item number 3 and was affirmed as a final order on 02/18/2014, with respect to a workplace located at 729 Newark Rd., Avondale PA 19311.

Abatement certification and documentation required within 10 days after abatement date. The certification shall include a statement that abatement is complete, the date and method of abatement, and state that employees and their representatives were informed of this abatement. Abatement documentation shall include documents demonstrating that abatement is complete, such as evidence of the purchase or repair of equipment, photographic or video evidence of abatement or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

02/19/2015

Proposed Penalty:

\$9240.00

Occupational Safety and Health Administration Inspection Date(s): 09/08/2014 - 09/08/2014

Inspection Number: 1000415

Issuance Date: 02/06/2015



Citation and Notification of Penalty

Company Name: Seitz Technical Products, Inc.

Inspection Site: 160 Limestone Road, Oxford, PA 19363

Citation 2 Item 2 Type of Violation: Repeat

29 CFR 1910.151(c): Where employees were exposed to injurious corrosive materials, suitable facilities for quick drenching or flushing of the eyes and body were not provided within the work area for immediate emergency use:

a) Production floor - The employer did not provide suitable facilities for quick drenching or flushing of the eyes to protect employees working with corrosive materials such as, but not limited to, Alodine 1200S. Observed on or about 09/08/2014

Note: Adequate eyewash must be provided for emergency use. American National Standards Institute (ANSI) Z358.1 1981 specifies a flushing capability of not less than 1.5 liters of water per minute for 15 minutes. (Ref. American National Standard 358.1-1990). Additionally, an effective anti-bacterial agent, suitable for Ophthalmic use, added to tap water will help preserve the water and reduce the possibility of pathogens developing in the flushing solution. An isotonic saline solution (0.85 % to 1.0 % NaCl) buffered to a pH of 7.3 to 7.4 and preserved with a suitable antibacterial agent is less irritating to eye over a 15 minute flush.

Seitz Technical Products, Inc. was previously cited for a violation of this occupational safety and health standard or its equivalent standard 29 CFR 1910.151(c), which was contained in OSHA inspection number 314232562, citation number 1, item number 2 and was affirmed as a final order on 6/23/2011, with respect to a workplace located at Route 41 and Newark Road, Avondale PA 19311.

Abatement certification and documentation required within 10 days after abatement date. The certification shall include a statement that abatement is complete, the date and method of abatement. and state that employees and their representatives were informed of this abatement. Abatement documentation shall include documents demonstrating that abatement is complete, such as evidence of the purchase or repair of equipment, photographic or video evidence of abatement or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

Occupational Safety and Health Administration Inspection Date(s): 09/08/2014 - 09/08/2014

Inspection Number: 1000415

Issuance Date: 02/06/2015



Citation and Notification of Penalty

Company Name: Seitz Technical Products, Inc.

Inspection Site: 160 Limestone Road, Oxford, PA 19363

Date By Which Violation Must be Abated:

Proposed Penalty:

02/19/2015 \$7700.00

Occupational Safety and Health Administration Inspection Date(s): 09/08/2014 - 09/08/2014

Inspection Number: 1000415

Issuance Date: 02/06/2015



Citation and Notification of Penalty

Company Name: Seitz Technical Products, Inc.

Inspection Site: 160 Limestone Road, Oxford, PA 19363

Citation 2 Item 3 Type of Violation: Repeat

29 CFR 1910.1200(e)(1): Employer had not developed or implemented a written hazard communication program included the requirements outlined in 29 CFR 1910.1200(e)(1)(i) and (e)(1)(ii):

a) At the jobsite - The employer did not develop or implement a written hazard communication program to assist employees using hazardous chemicals such as Alodine, and Ridoline. Observed on or about 09/08/14

Seitz Technical Products, Inc. was previously cited for a violation of this occupational safety and health standard 29 CFR 1910.1200(e)(1), which was contained in OSHA inspection number 314232562, citation number 01, item number 03 and was affirmed as a final order on 07/24/2014, with respect to a workplace located at Route 41 and Newark Road, Avondale PA 19311.

Abatement certification and documentation required within 10 days after abatement date. The certification shall include a statement that abatement is complete, the date and method of abatement, and state that employees and their representatives were informed of this abatement. Abatement documentation shall include documents demonstrating that abatement is complete, such as evidence of the purchase or repair of equipment, photographic or video evidence of abatement or other written records.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

Proposed Penalty:

Area Director

Nicholas DeJesse

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

7700.00

Occupational Safety and Health Administration U.S. Custom House, Room 242 Second & Chestnut Street Philadelphia, PA 19106

Phone: 215-597-4955 Fax: 215-597-1956



INVOICE / DEBT COLLECTION NOTICE

Company Name:

Seitz Technical Products, Inc.

Inspection Site:

160 Limestone Road, Oxford, PA 19363

Issuance Date:

02/06/2015

Summary of Penalties for Inspection Number

1000415

Citation 1, Serious

\$17710.00

Citation 2, Repeat

\$24640.00

TOTAL PROPOSED PENALTIES

\$42350.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on OSHA Penalty Payment Form. The direct link is https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$50,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed

account, the bank will attempt to make the transfer up to 2 times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

Interest: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

<u>Delinquent Charges</u>: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

Administrative Costs: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.

Nicholas DeJesse

Area Director