

U.S. Department of Labor

Occupational Safety and Health Administration
Dr. A.H. McCoy Federal Bldg.
100 West Capitol Street, Suite 749
Jackson, MS 39269



Citation and Notification of Penalty

To:

von Drehle Corporation
and its successors
30 Majorca Rd
Natchez, MS 39120

Inspection Number: 1341898**Inspection Date(s):** 08/24/2018 - 08/24/2018**Issuance Date:** 02/15/2019**Inspection Site:**

30 Majorca Rd
Natchez, MS 39120

The violation(s) described in this Citation and Notification of Penalty is (are) alleged to have occurred on or about the day(s) the inspection was made unless otherwise indicated within the description given below.

This Citation and Notification of Penalty (this Citation) describes violations of the Occupational Safety and Health Act of 1970. The penalty(ies) listed herein is (are) based on these violations. You must abate the violations referred to in this Citation by the dates listed and pay the penalties proposed, unless within 15 working days (excluding weekends and Federal holidays) from your receipt of this Citation and Notification of Penalty **you either call to schedule an informal conference (see paragraph below) or** you mail a notice of contest to the U.S. Department of Labor Area Office at the address shown above. Please refer to the enclosed booklet (OSHA 3000) which outlines your rights and responsibilities and which should be read in conjunction with this form. Issuance of this Citation does not constitute a finding that a violation of the Act has occurred unless there is a failure to contest as provided for in the Act or, if contested, unless this Citation is affirmed by the Review Commission or a court.

Posting - The law requires that a copy of this Citation and Notification of Penalty be posted immediately in a prominent place at or near the location of the violation(s) cited herein, or, if it is not practicable because of the nature of the employer's operations, where it will be readily observable by all affected employees. This Citation must remain posted until the violation(s) cited herein has (have) been abated, or for 3 working days (excluding weekends and Federal holidays), whichever is longer.

Informal Conference - An informal conference is not required. However, if you wish to have such a conference you may request one with the Area Director during the 15 working day contest period by calling 601-965-4606. During such an informal conference you may present any evidence or views which you believe would support an adjustment to the citation(s) and/or penalty(ies).

If you are considering a request for an informal conference to discuss any issues related to this Citation and Notification of Penalty, you must take care to schedule it early enough to allow time to contest after the informal conference, should you decide to do so. Please keep in mind that a written letter of intent to contest must be submitted to the Area Director within 15 working days of your receipt of this Citation. The running of this contest period is not interrupted by an informal conference.

If you decide to request an informal conference, please complete, remove and post the Notice to Employees next to this Citation and Notification of Penalty as soon as the time, date, and place of the informal conference have been determined. Be sure to bring to the conference any and all supporting documentation of existing conditions as well as any abatement steps taken thus far. If conditions warrant, we can enter into an informal settlement agreement which amicably resolves this matter without litigation or contest.

Right to Contest – You have the right to contest this Citation and Notification of Penalty. You may contest all citation items or only individual items. You may also contest proposed penalties and/or abatement dates without contesting the underlying violations. **Unless you inform the Area Director in writing that you intend to contest the citation(s) and/or proposed penalty(ies) within 15 working days after receipt, the citation(s) and the proposed penalty(ies) will become a final order of the Occupational Safety and Health Review Commission and may not be reviewed by any court or agency.**

Penalty Payment – Penalties are due within 15 working days of receipt of this notification unless contested. (See the enclosed booklet and the additional information provided related to the Debt Collection Act of 1982.) Make your check or money order payable to "DOL-OSHA". Please indicate the Inspection Number on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is:

<https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>.

You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will process the payments as if these restrictions or conditions do not exist.

Notification of Corrective Action – For each violation which you do not contest, you must provide *abatement certification* to the Area Director of the OSHA office issuing the citation and identified above. This abatement certification is to be provided by letter within 10 calendar days after each abatement date. Abatement certification includes the date and method of abatement. If the citation indicates that the violation was corrected during the inspection, no abatement certification is required for that item. The abatement certification letter must be posted at the location where the violation appeared and the corrective action took place or employees must otherwise be effectively informed about abatement activities. A sample abatement certification letter is enclosed with this Citation. In addition, where the citation indicates that *abatement documentation* is necessary, evidence of the purchase or repair of equipment, photographs or video, receipts, training records, etc., verifying that abatement has occurred is required to be provided to the Area Director.

Employer Discrimination Unlawful – The law prohibits discrimination by an employer against an

employee for filing a complaint or for exercising any rights under this Act. An employee who believes that he/she has been discriminated against may file a complaint no later than 30 days after the discrimination occurred with the U.S. Department of Labor Area Office at the address shown above.

Employer Rights and Responsibilities – The enclosed booklet (OSHA 3000) outlines additional employer rights and responsibilities and should be read in conjunction with this notification.

Notice to Employees – The law gives an employee or his/her representative the opportunity to object to any abatement date set for a violation if he/she believes the date to be unreasonable. The contest must be mailed to the U.S. Department of Labor Area Office at the address shown above and postmarked within 15 working days (excluding weekends and Federal holidays) of the receipt by the employer of this Citation and Notification of Penalty.

Inspection Activity Data – You should be aware that OSHA publishes information on its inspection and citation activity on the Internet under the provisions of the Electronic Freedom of Information Act. The information related to these alleged violations will be posted when our system indicates that you have received this citation. You are encouraged to review the information concerning your establishment at www.osha.gov. If you have any dispute with the accuracy of the information displayed, please contact this office.



NOTICE TO EMPLOYEES OF INFORMAL CONFERENCE

An informal conference has been scheduled with OSHA to discuss the citation(s) issued on 02/15/2019. The conference will be held by telephone or at the OSHA office located at Dr. A.H. McCoy Federal Bldg. 100 West Capitol Street, Suite 749, Jackson, MS 39269 on

_____ at _____. Employees and/or representatives of employees have a right to attend an informal conference.

CERTIFICATION OF CORRECTIVE ACTION WORKSHEET

Inspection Number: 1341898

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120
Issuance Date: 02/15/2019

List the specific method of correction for each item on this citation in this package that does not read "Corrected During Inspection" and return to: **U.S. Department of Labor – Occupational Safety and Health Administration, Dr. A.H. McCoy Federal Bldg. 100 West Capitol Street, Suite 749, Jackson, MS 39269**

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

Citation Number _____ and Item Number _____ was corrected on _____
By (Method of Abatement): _____

I certify that the information contained in this document is accurate and that the affected employees and their representatives have been informed of the abatement.

Signature

Date

Typed or Printed Name

Title

NOTE: 29 USC 666(g) whoever knowingly makes any false statements, representation or certification in any application, record, plan or other documents filed or required to be maintained pursuant to the Act shall, upon conviction, be punished by a fine of not more than \$10,000 or by imprisonment of not more than 6 months or both.

POSTING: A copy of completed Corrective Action Worksheet should be posted for employee review



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 1 a Type of Violation: **Serious**

29 CFR 1910.22(a)(1): All places of employment, passageways, storerooms, service rooms, and walking-working surfaces were not kept in a clean, orderly, and sanitary condition:

(a) Converting - On or about August 24, 2018 employees were exposed to a fire hazard due to combustible paper dust accumulation located on all elevated horizontal surfaces such as but not limited to structural steel, round piping, tops of converting line equipment, electrical disconnects, junction boxes, top of shipping container converted to office, structural components of overhead cranes as well as on and inside of overhead cranes.

(b) Converting - On or about November 28, 2018 employees were exposed to a fire hazard due to combustible paper dust accumulation on stacks of cardboard and rolls of paper in storage area.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

03/12/2019
\$13260.00



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 1 b Type of Violation: **Serious**

29 CFR 1910.22(a)(2): The floor of a workroom was not maintained in a clean condition:

(a) Converting - On or about November 28, 2018 employees were exposed to a fire hazard due to combustible paper dust accumulation located on the floor behind gas fired heater. Air filters on heater were clogged with dust.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

03/12/2019

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1341898
Inspection Date(s): 08/24/2018 - 08/24/2018
Issuance Date: 02/15/2019



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 2 a Type of Violation: **Serious**

29 CFR 1910.28(b)(3)(ii): The employer did not ensure each employee is protected from tripping into or stepping into or through any hole that is less than 4 feet (1.2 m) above a lower level by covers or guardrail systems:

(a) DeInk Basement - On or about August 28, 2018 employees were exposed to slip, trip, and fall hazards as a result of floor drains not being guarded.

Date By Which Violation Must be Abated:
Proposed Penalty:

03/05/2019
\$10419.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1341898
Inspection Date(s): 08/24/2018 - 08/24/2018
Issuance Date: 02/15/2019



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 2 b Type of Violation: **Serious**

29 CFR 1910.22(d)(1): The employer did not ensure that walking-working surfaces were inspected, regularly and as necessary, and maintained in a safe condition:

(a) DeInk - On or about August 24, 2018 employees were exposed to slip, trip, and fall hazards due to walking-working surfaces not being inspected regularly allowing conditions to exist, such as but not limited to: wet slippery floors, missing drain covers and open floor holes.

Date By Which Violation Must be Abated:

03/05/2019

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 3 a Type of Violation: **Serious**

29 CFR 1910.37(b)(4): Signs were not posted along the exit access indicating the direction of travel to the nearest exit and exit discharge when the direction of travel to the exit or exit discharge was not immediately apparent:

(a) Converting - On or about November 28, 2018 directional signs were not posted in storage area to indicate the location of the nearest exit, allowing employees to be exposed to smoke inhalations and burn hazards.

Date By Which Violation Must be Abated:
Proposed Penalty:

03/05/2019
\$8335.00

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1341898
Inspection Date(s): 08/24/2018 - 08/24/2018
Issuance Date: 02/15/2019



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 3 b Type of Violation: **Serious**

29 CFR 1910.37(b)(6): Each exit sign was not illuminated to a surface value of at least five foot-candles (54 lux) by a reliable light source and be distinctive in color:

(a) Converting - On or about November 28, 2018 two exit signs were not illuminated allowing employees to be exposed to hazard of smoke inhalation and burns.

Date By Which Violation Must be Abated:

03/05/2019

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1341898
Inspection Date(s): 08/24/2018 - 08/24/2018
Issuance Date: 02/15/2019



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 1 Item 4 a Type of Violation: **Serious**

29 CFR 1910.179(e)(4): Bridge truck(s) were not equipped with sweep(s) which extended below the top of the rail and projected in the front of the truck wheel(s).

(a) Paper Floor - During the period of January 24, 2018 through August 24th, 2018 the House Crane was missing the NE rail sweep allowing employees to be exposed to struck-by hazards.

Date By Which Violation Must be Abated:
Proposed Penalty:

03/12/2019
\$10419.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 4 b Type of Violation: **Serious**

29 CFR 1910.179(l)(3)(i): Unsafe condition(s) disclosed during the frequent or periodic inspection(s) required by 29 CFR 1910.179(j) were not corrected before operation of the crane(s) was resumed:

(a) Paper Floor - During the period of January 24, 2018 through August 24th, 2018 the employer allowed employees to operate the House Crane which was missing the NE bridge bumper, NE rail sweep, and the rail was excessively out of alignment allowing employees to be exposed to struck-by hazards.

Date By Which Violation Must be Abated:

03/12/2019

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1341898
Inspection Date(s): 08/24/2018 - 08/24/2018
Issuance Date: 02/15/2019



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 5 Type of Violation: **Serious**

29 CFR 1910.242(b): Compressed air used for cleaning purposes was not reduced to less than 30 p.s.i.:

(a) Converting - On or about September 19, 2018 compressed air was used for cleaning purposes on Line 5 and the core machine #1 was not reduced to 30 PSI. Compressed air wands operating at shop pressure (80 PSI) were not equipped with safety nozzles exposing employees to an embolism hazard.

(b) Converting - On or about November 28, 2018 a compressed air wand used for cleaning on Line 7 was operating at 45 PSI. The wand did not have a pressure reducing safety nozzle exposing employees to an embolism hazard.

Date By Which Violation Must be Abated:
Proposed Penalty:

02/26/2019
\$8335.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1341898
Inspection Date(s): 08/24/2018 - 08/24/2018
Issuance Date: 02/15/2019



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 6 Type of Violation: **Serious**

29 CFR 1910.261(a)(3)(v): The establishment did not comply with American National Standard Institute ANSI B20.1 1957 which is incorporated by reference. ANSI B20.1 1957 Part I General Safety Regulations Section 6 Design Features Item 602 Pulleys, Sprockets, Sheaves, Drums, Blocks; Drums were not arranged to prevent the possibility of injury due to hands or parts of clothing being caught between the drum and belt:

(a) Converting - On or about September 19, 2018 the tail drum and its rotating shaft end on the cookie cutter conveyor were not guarded allowing employees to be exposed to a hazard of lacerations.

Date By Which Violation Must be Abated:
Proposed Penalty:

03/12/2019
\$8335.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 7 Type of Violation: **Serious**

29 CFR 1910.261(b)(1): The employer did not ensure that the main power disconnect switch or valve, or both, controlling its source of power or flow of material, was locked out or blocked off with padlock, blank flange, or similar device before conducting any maintenance, inspection, cleaning, adjusting, or servicing of equipment (electrical, mechanical, or other) that required entrance into or close contact with the machinery or equipment:

- (a) Converting - On or about August 24, 2018 maintenance employee(s) were allowed to trouble shoot machine operation problems from the inside of converting machines, such as the Amica Matrix, while the machine was operating.
- (b) Converting - On or about August 24, 2018 employee(s) were allowed to clean machines on line 5, 6, and 7 without locking out energy sources.
- (c) Converting - On or about August 24, 2018 employee(s) were allowed to clear jams on lines 5, 6, and 7 without locking out energy sources.
- (d) Converting - On or about August 24, 2018 employee(s) were allowed to remove glue build-ups from log saw without locking out energy sources.
- (e) Converting - On or about August 24, 2018 employees(s) thread line 5 without locking out the machine.

The above conditions exposed employees to amputation hazards.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

03/12/2019
\$13260.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 8 Type of Violation: **Serious**

29 CFR 1910.261(b)(2): Emergency lighting was not provided wherever it is necessary for employees to remain at their machines or stations to shut down equipment in case of power failure. Emergency lighting was not provided at stairways and passageways or aiseways used by employees for emergency exit in case of power failure:

(a) Deink & Converting - On or about November 28, 2018 employers were exposed to amputation hazards as a result of emergency lighting not being provided.

(b) Converting - On or about November 28, 2018, employees were exposed to smoke inhalation as a result of the exit route(s) was not adequately illuminated during a power outage.

Date By Which Violation Must be Abated:
Proposed Penalty:

03/12/2019
\$10419.00



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 9 Type of Violation: **Serious**

29 CFR 1910.303(f)(2): Each service, feeder, and branch circuit, at its disconnecting means or overcurrent device, was not legibly marked to indicate its purpose, nor located and arranged so the purpose was evident:

- (a) Converting - On or about November 28, 2018 not all circuit breakers were labeled in two panels on the south wall.
- (b) New Storage Room - On or about November 28, 2018 not all breakers were labeled in two panels. In panel to the right, breakers that were labeled were not legible due to corrosion allowing employees to be exposed to electrical shock and burn hazards.

Date By Which Violation Must be Abated:
Proposed Penalty:

03/12/2019
\$6251.00

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1341898
Inspection Date(s): 08/24/2018 - 08/24/2018
Issuance Date: 02/15/2019



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 10 Type of Violation: **Serious**

29 CFR 1910.304(a)(2): Grounded conductors were attached to terminals or leads so as to reverse designated polarity:

(a) Deink - On or about November 28, 2018 quad-receptacles with reversed polarity powered a pH meter and a chemical injection pump allowing employees to be exposed to electrical shock hazards.

Date By Which Violation Must be Abated:
Proposed Penalty:

03/12/2019
\$6251.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1341898
Inspection Date(s): 08/24/2018 - 08/24/2018
Issuance Date: 02/15/2019



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 11 Type of Violation: **Serious**

29 CFR 1910.307(c): Equipment, wiring and installations of equipment in hazardous (classified) locations was not intrinsically safe, approved for the hazardous (classified) location, or safe for the hazardous (classified) location:

a) Converting - On or about August 24, 2018 electrical equipment such as, but not limited to, floor fans, duplex receptacles without covers, and a computer data station powered by an extension cord were in use in an atmosphere containing combustible paper dust and were not approved for Class II locations in that they were not dust tight allowing employees to be exposed to fire hazards.

Date By Which Violation Must be Abated:
Proposed Penalty:

03/12/2019
\$10419.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 1 Item 12 Type of Violation: **Serious**

29 CFR 1910.335(a)(2)(ii): Protective shields, protective barriers, or insulating materials was not used to protect each employee from shock, burns, or other electrically related injuries while that employee is working near exposed energized parts which might be accidentally contacted or where dangerous electric heating or arcing might occur:

(a) Deink - On or about August 24, 2018 employees were exposed to arc flash hazards when spraying water near MCC's.

Date By Which Violation Must be Abated:
Proposed Penalty:

Corrected During Inspection
\$13260.00



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 2 Item 1 Type of Violation: **Willful**

29 CFR 1910.303(b)(6): Conductors or equipment were located in damp or wet locations; where exposed to gases, fumes, vapors, liquids, or other agents that had a deteriorating effect on the conductors or equipment which were not identified for use in the operating environment:

(a) Deink - On or about August 24, 2018 operators and maintenance personnel were exposed to electrical hazards such as shock and arc flash while working on or around MCC's which were located in damp or wet locations.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

03/12/2019
\$132598.00



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

The alleged violations below have been grouped because they involve similar or related hazards that may increase the potential for injury or illness.

Citation 3 Item 1 a Type of Violation: **Repeat**

von Drehle Inc. was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA Inspection #1150043, Citation 1, Item 2a, issued on November 18, 2016, with respect to a workplace located at 30 Majorca Rd. Natchez, MS which became a final order on December 8, 2016.

29 CFR 1910.261(l)(9)(i): The nipping points of all drum winders and rewinders located on the operator's side shall be guarded by either automatic or manually operated barrier guards of sufficient height to protect fully anyone working around them. The barrier guard shall be interlocked with the drive mechanism to prevent operating above jog speed without the guard in place. A zero speed switch should be installed to prevent the guard from being raised while the roll is turning:

a) Converting - On or about August 28, 2018 the unwinder on line 5 was not guarded exposing employees to amputation hazards.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

03/12/2019
\$52096.00

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1341898
Inspection Date(s): 08/24/2018 - 08/24/2018
Issuance Date: 02/15/2019



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 3 Item 1 b Type of Violation: **Repeat**

von Drehle Inc. was previously cited for a violation of this occupational safety and health standard, which was contained in OSHA Inspection #1150043, Citation 1, Item 2b, issued on November 18, 2016, with respect to a workplace located at 30 Majorca Rd. Natchez, MS which became a final order on December 8, 2016.

29 CFR 1910.261(l)(11): Roll-type embosser. The nipping point(s) located on the operator's side were not guarded by either automatic or manually operated barrier guards interlocked with the drive:

a) Converting - On or about August 28, 2018 the embosser on line 5 was not guarded exposing employees to amputation hazards.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:

03/12/2019

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1341898
Inspection Date(s): 08/24/2018 - 08/24/2018
Issuance Date: 02/15/2019



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 4 Item 1 Type of Violation: **Other-than-Serious**

29 CFR 1910.305(g)(1)(iv)(A): Flexible cords and/or cables were used as a substitute for the fixed wiring of a structure:

(a) Converting - On or about September 19, 2018 the data station for the Line 6 case packer was powered by an extension cord.

Date By Which Violation Must be Abated:
Proposed Penalty:

03/05/2019
\$0.00

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration

Inspection Number: 1341898
Inspection Date(s): 08/24/2018 - 08/24/2018
Issuance Date: 02/15/2019



Citation and Notification of Penalty

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120

Citation 4 Item 2 Type of Violation: **Other-than-Serious**

29 CFR 1910.1200(g)(1): Chemical manufacturers and importers did not obtain or develop a safety data sheet for each hazardous chemical and for each chemical that posed a hazard not otherwise classified that they produce or import

(a) Facility - On or about August 24, 2018 von Drehle Inc. had not developed a Safety Data Sheet for the paper dust generated from the recycled paper they produce.

ABATEMENT DOCUMENTATION REQUIRED FOR THIS ITEM

Date By Which Violation Must be Abated:
Proposed Penalty:

03/12/2019
\$0.00

A handwritten signature in blue ink that reads "Courtney Bohannon".

Courtney Bohannon
Area Director

See pages 1 through 4 of this Citation and Notification of Penalty for information on employer and employee rights and responsibilities.

U.S. Department of Labor
Occupational Safety and Health Administration
Dr. A.H. McCoy Federal Bldg. 100 West Capitol Street
Suite 749
Jackson, MS 39269



INVOICE / DEBT COLLECTION NOTICE

Company Name: von Drehle Corporation
Inspection Site: 30 Majorca Rd, Natchez, MS 39120
Issuance Date: 02/15/2019

Summary of Penalties for Inspection Number	1341898
Citation 1, Serious	\$118963.00
Citation 2, Willful	\$132598.00
Citation 3, Repeat	\$52096.00
Citation 4, Other-than-Serious	\$0.00
TOTAL PROPOSED PENALTIES	\$303657.00

To avoid additional charges, please remit payment promptly to this Area Office for the total amount of the uncontested penalties summarized above. Make your check or money order payable to: "DOL-OSHA". Please indicate OSHA's Inspection Number (indicated above) on the remittance. You can also make your payment electronically on www.pay.gov. On the left side of the pay.gov homepage, you will see an option to Search Public Forms. Type "OSHA" and click Go. From the results, click on **OSHA Penalty Payment Form**. The direct link is <https://www.pay.gov/paygov/forms/formInstance.html?agencyFormId=53090334>. You will be required to enter your inspection number when making the payment. Payments can be made by credit card or Automated Clearing House (ACH) using your banking information. Payments of \$25,000 or more require a Transaction ID, and also must be paid using ACH. If you require a Transaction ID, please contact the OSHA Debt Collection Team at (202) 693-2170.

OSHA does not agree to any restrictions or conditions or endorsements put on any check, money order, or electronic payment for less than the full amount due, and will cash the check or money order as if these restrictions or conditions do not exist.

If a personal check is issued, it will be converted into an electronic fund transfer (EFT). This means that our bank will copy your check and use the account information on it to electronically debit your account for the amount of the check. The debit from your account will then usually occur within 24 hours and will be shown on


your regular account statement. You will not receive your original check back. The bank will destroy your original check, but will keep a copy of it. If the EFT cannot be completed because of insufficient funds or closed account, the bank will attempt to make the transfer up to 2 times.

Pursuant to the Debt Collection Act of 1982 (Public Law 97-365) and regulations of the U.S. Department of Labor (29 CFR Part 20), the Occupational Safety and Health Administration is required to assess interest, delinquent charges, and administrative costs for the collection of delinquent penalty debts for violations of the Occupational Safety and Health Act.

Interest: Interest charges will be assessed at an annual rate determined by the Secretary of the Treasury on all penalty debt amounts not paid within one month (30 calendar days) of the date on which the debt amount becomes due and payable (penalty due date). The current interest rate is one percent (1%). Interest will accrue from the date on which the penalty amounts (as proposed or adjusted) become a final order of the Occupational Safety and Health Review Commission (that is, 15 working days from your receipt of the Citation and Notification of Penalty), unless you file a notice of contest. Interest charges will be waived if the full amount owed is paid within 30 calendar days of the final order.

Delinquent Charges: A debt is considered delinquent if it has not been paid within one month (30 calendar days) of the penalty due date or if a satisfactory payment arrangement has not been made. If the debt remains delinquent for more than 90 calendar days, a delinquent charge of six percent (6%) per annum will be assessed accruing from the date that the debt became delinquent.

Administrative Costs: Agencies of the Department of Labor are required to assess additional charges for the recovery of delinquent debts. These additional charges are administrative costs incurred by the Agency in its attempt to collect an unpaid debt. Administrative costs will be assessed for demand letters sent in an attempt to collect the unpaid debt.



Courtney Bohannon

Area Director



Date