



















































Figure 4.11. Chromatogram of a standard at the target concentration. Key: (1) 2ME, (2) 2EE, (3) 3-methyl-3-pentanol, (4) 2MEA, (5) 2EEA. Other peaks: (A) methyl alcohol, (B) methylene chloride, (C) chloroform (impurity in methylene chloride), (D) cyclohexane (preservative in methylene chloride).

## 5. References

- 5.1 "OSHA Analytical Methods Manual" U.S. Department of Labor, Occupational Safety and Health Administration; OSHA Analytical Laboratory, Salt Lake City, UT, 1985; Method 53; American Conference of Governmental Industrial Hygienists (ACGIH): Cincinnati, OH, ISBN: 0-936712-66-X.
- 5.2 "American Conference of Governmental Industrial Hygienists: Documentation of the Threshold Limit Values, Supplemental Documentation for 1982", pp. 259-260, Cincinnati, OH (1982).
- 5.3 "American Conference of Governmental Industrial Hygienists: Documentation of the Threshold Limit Values, Supplemental Documentation for 1982", p. 260, Cincinnati, OH (1982).
- 5.4 "American Conference of Governmental Industrial Hygienists: Documentation of the Threshold Limit Values, Supplemental Documentation for 1982", p. 171, Cincinnati, OH (1982).
- 5.5 "American Conference of Governmental Industrial Hygienists: Documentation of the Threshold Limit Values, Supplemental Documentation for 1982i, p. 172, Cincinnati, OH (1982).
- 5.6 Nagano, K.; Nakayama, E.; Koyano, M.; Oobayaski, H.; Adachi, H.; Yamada, T. Jap. J. Ind. Health 1979, 21, 29-35.
- 5.7 "Current Intelligence Bulletin 39, Glycol Ethers"; May 2, 1983, U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, NIOSH.
- 5.8 Fed. Regist. 1987, 52 (No. 63, Thursday, April 2), 10586-10593.
- 5.9 "Pocket Guide to Chemical Hazards", NIOSH/OSHA, Sept. 1978, DHEW (NIOSH) Publ. No. 78-210.